

## Komunitas zooplankton di perairan waduk Krenceng, Cilegon, Banten

Sri Handayani, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=117424&lokasi=lokal>

---

### Abstrak

Penelitian ini dilakukan untuk mengetahui komunitas zooplankton dan hubungan antara zooplankton dengan fitoplankton di Waduk Krenceng Cilegon. Kelimpahan zooplankton ditentukan dengan metode Sedwigck-Rafter Counting Method. Hubungan antara zooplankton dengan lingkungan dianalisis dengan regresi linier berganda. Keeratan hubungan zooplankton dengan fitoplankton menggunakan analisis korelasi regresi. Hasil identifikasi ditemukan 13 jenis zooplankton yang termasuk dalam 3 kelas. Rotifera merupakan kelompok yang dominan ditemukan pada November 2002 dan Maret 2003. Hasil regresi menunjukkan faktor lingkungan yang berpengaruh terhadap kelimpahan zooplankton pada bulan November adalah pH, BOD 5, nitrat, CO<sub>2</sub> bebas dan kelimpahan fitoplankton, sedangkan pada bulan Maret adalah kecerahan, nitrat, orthoposfat, dan C organik. Keeratan hubungan fitoplankton dengan zooplankton berkorelasi positif.

<hr>

Zooplankton communities in the Krenceng Reservoir, Cilegon, Banten. This research was carried out to know the structure of zooplankton communities and relations between the phytoplankton and zooplankton in the Krenceng Reservoir, Cilegon. The zooplankton abundance with used Sedwigck Rafter Counting Method, diversity and evenness were counted. Relations between zooplankton and the environmental factors as well as its relations to phytoplankton calculated with regression. The results showed that are 13 species of the zooplankton found which including in three classes with the highest abundance on Novembers 2002 and March 2003 of the Rotifera. The analysis of regression pointed out that the environmental factors such: pH, BOD<sub>5</sub>, nitrate, CO<sub>2</sub> and abundance of phytoplankton influence the abundance zooplankton in November. While in March, the abundance of zooplankton is influenced by brightness, nitrate, orthophosphates and C organic. The abundance of phytoplankton influenced positively by the abundance of zooplankton.