

**Analisa faktor usia pada wanita peserta program penapisan kanker leher rahim dengan pendekatan "see and treat": untuk deteksi lesi prakanker dan pengobatan dengan terapi beku = An analysis of age factor toward female participants in cervical cancer program with "see and treat" approaches: for precancer lesion detection and medication with cryotherapy**

Lestari Mustika Rini, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=122893&lokasi=lokal>

---

#### Abstrak

**Latar Belakang:** Saat ini telah diketahui di beberapa negara bahwa puncak insidensi lesi prakanker serviks terjadi pada kelompok usia 30-39 tahun. Namun belum ada data yang menggambarkan tentang sebaran dan hubungan antara usia dengan terjadinya lesi prakanker serviks di Indonesia, khususnya di Jakarta.

**Tujuan:** Untuk mengidentifikasi target kelompok usia pada wanita peserta program skrining "see and treat" dan mengetahui hubungan antara faktor usia, jumlah melahirkan dan hasil Tes Inspeksi Visual Asam asetat (IVA).

**Metodologi:** Desain yang digunakan adalah uji potong lintang pada wanita peserta program di 4 puskesmas Jatinegara April - Mei 2009, untuk mengevaluasi frekuensi usia peserta, ketergantungan usia dan jumlah melahirkan.

**Hasil:** Partisipasi skrining tertinggi adalah pada kelompok usia 35 - 39 tahun (20,8% dari n=612), dan menurun pada usia lebih tua. Usia diatas 35 tahun 3 kali lebih besar kecenderungan memiliki jumlah melahirkan lebih dari 1 kali dibandingakan usia > 35 tahun dengan RO=2,87, IK 95%=1,94 ; 4,24, p<0,0001, PPV 80%. Usia lebih dari 35 tahun memiliki risiko 2 kali lebih besar mendapatkan hasil Tes IVA positif dibandingkan responden yang berusia > 35 tahun dengan RO 1,99, IK 95% = 0,38 ; 10,38, p=0,648. Terdapat hubungan bermakna antara usia, jumlah melahirkan dan usia pertama menikah dengan temuan hasil Tes IVA ( $0,05 < p < 0,10$ ).

**Kesimpulan:** Data ini menunjukkan bahwa wanita dengan usia diatas 35 tahun dan telah memiliki jumlah melahirkan lebih dari sekali, lebih cenderung memiliki hasil Tes IVA positif.

<hr>**Background:** There were some medical researches from some countries, showed that the peak incidence of premalignant cervical cancer occurred in the 30-39 age group. However, report about distribution and correlation between age and premalignant cervical cancer in Indonesia, especially in Jakarta, are poorly understood.

**Purpose/Aim:** To identify the age group target amongst the female participants of "see and treat" screening program, and to analyze the correlation of age, parity and Visual Inspection Acetic acid (VIA) test result.

**Methodology:** We used a crosssectional test to analyze data from Jatinegara female participants in 4 clinics in Jatinegara during April - May 2009, in order to evaluate the frequency of the age of participants, age dependency, and the number of parity.

**Result:** It showed that the highest screening participation was in women between 35-39 age group (20,8% in n=612), and a little less in elderly women. The ages above 35 has a triple possibility to give birth more than one time than ages below 35 with OR=2,87, CI 95%=1,94 ; 4,24, p<0,0001, PPV 80%. Ages above 35 years occupy double risk to get positive VIA Test result than respondents of ages below 35, with OR=1,99, CI

95% = 0,38 ; 10,38, p=0,648 There were significantly correlation between age, number of parity and the first age of marriage with positive IVA test result ( $0,05 < p < 0,10$ ).

Conclusion: These data suggest that in women  $> 35$  years and had birth more than one time, were possibilities to have positive pre-cancer detected by VIA.