

## ?Analisis potensi minimisasi limbah padat domestik di instalasi gizi dan tata boga Rumah Sakit Kanker "Dharmais" tahun 2009

Rachmania Eka Putri, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=125756&lokasi=lokal>

---

### Abstrak

Rumah sakit yang menjalankan fungsinya baik sebagai sarana pelayanan kesehatan maupun wadah pendidikan dan pelatihan, ternyata menghasilkan buangan limbah yang berdampak negatif bagi lingkungan sekitarnya apabila tidak dikelola dengan baik. Banyak strategi yang digunakan dalam konsep manajemen lingkungan saat ini, terutama konsep pencegahan pencemaran dengan teknik minimisasi limbah. Tujuan penelitian ini adalah untuk mengetahui dan menganalisis potensi minimisasi limbah padat domestik di Instalasi Gizi dan Tata Boga. Konsep penelitian yaitu analisis potensi minimisasi limbah padat domestik di Instalasi Gizi dan Tata Boga dilihat dari aspek karakteristik dan pengelolaan limbah padat domestik yang dilakukan. Metode penelitian yang digunakan yaitu metode kualitatif dan kuantitatif. Hasil penelitian menyebutkan bahwa dilihat dari karakteristik limbah yang dihasilkan, minimisasi limbah berpotensi mereduksi limbah sebesar 45% dari jumlah produksi. Sedangkan peluang minimisasi limbah dari aspek pengelolaan adalah sekitar 80%, sehingga minimisasi limbah baik reduksi pada sumber maupun pemanfaatan limbah berpotensi besar dilakukan di Instalasi Gizi dan Tata Boga.

<hr>Hospital in doing its function either as healthcare or as a place for education and practical, also produce waste that can give negative impact for the environment if it doesn't have a proper waste management. Nowadays, a lot of strategy used in environmental management concept, particularly in pollution prevention concept with waste minimization. The purpose of this study is to understand and to analyze the waste minimization potential in Instalasi Gizi dan Tata Boga. The concept of this study is to analyze the waste minimization potential according to characteristic and waste management in Instalasi Gizi dan Tata Boga. Its method include qualitative and quantitative method. The result of this study said that according to waste characteristic in Instalasi Gizi dan Tata Boga, potency of waste minimization can reduce 45% from all waste that generated. Whereas chance of waste minimization from waste management aspect are 80%, with the result that waste minimization either with source reduction and recycle are potential that can be done in Instalasi Gizi dan Tata Boga.