

Pengenalan pola karakteristik absorbansi darah rentang 190-1100 nm per 10 nm pada pasien demam dengue menggunakan jaringan syaraf tiruan dengan algoritma pca dan som

Sandi Sufiandi, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=126236&lokasi=lokal>

Abstrak

Tesis ini akan membahas karakterisasi absorbansi darah pada rentang 190 sampai dengan 1100 nm per 10 nm pada pasien demam dengue dengan menggunakan spektrofotometer UV-Vis. Data numerik yang diperoleh kemudian dilakukan pengenalan pola karakteristiknya menggunakan kecerdasan buatan. Hasil yang diperoleh menggambarkan karakteristik yang berbeda antara rentang 190 s/d 380 dan 610 s/d 1100 nm dengan 400 s/d 600 nm. Data numerik absorbansi 400 s/d 600 nm diproses dengan metoda self organizing maps menunjukan kestabilan hasil walaupun tingkat pengenalannya masih rendah.

.....This thesis is describing characterization of blood absorbance in range of 190 through 1100 nm per 10 nm of dengue fever patient using UV-Vis spectrophotometer. Collected numerical data is processed by pattern recognition using artificial intelligence. Result shown that characteristics between 190-380 nm and 610-1100 nm differ from 400-600 nm. 400 - 600 nm absorbance numerical data processed using self organizing maps showing output of recognition stability, even degree of recognition was still low.