

Pengaruh relapse prevention training terhadap kekambuhan dan kepatuhan klien ketergantungan heroin yang menjalani program terapi rumatan metadon di DKI Jakarta

Dewi Sartika, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=137118&lokasi=lokal>

Abstrak

Klien ketergantungan heroin yang menjalani Program Terapi Rumatan Metadon (PTRM) beresiko terjadinya masalah kekambuhan dan ketidakpatuhan, sehingga diperlukan upaya pencegahan untuk meningkatkan keterampilan strategi koping untuk mengatasi faktor dan situasi beresiko terjadi ketidakpatuhan dan kekambuhan. Penelitian quasi experimental dengan pendekatan pre-post test with control group ini ditujukan untuk mengidentifikasi pengaruh relapse prevention training (RPT) terhadap kekambuhan dan kepatuhan klien ketergantungan heroin yang menjalani program terapi rumatan metadon di DKI Jakarta.

Hasil penelitian terhadap 56 responden yang terdiri dari 28 orang kelompok kontrol dan 28 orang kelompok intervensi menunjukkan peningkatan kepatuhan secara bermakna ($p=0,000$) pada kelompok intervensi sebelum dan sesudah dilakukan RPT. Kejadian kekambuhan terjadi 3,75 % pada kelompok kontrol. Relapse prevention training ini direkomendasikan untuk dikembangkan sebagai bentuk pelayanan kesehatan/keperawatan jiwa bagi klien ketergantungan heroin- yang menjalani PTRM.

<hr>Clients heroin addiction who undergo maintenance therapy Methadone Program (MMP) incompliance and relapse risk, so that prevention efforts are needed to improve the skills of coping strategies to remain obedient and recurrence can be prevented. The _research aims to find out the effect of relapse Relapse prevention training and compliance with heroin dependency clients who are undergoing methadone maintenance therapy program in Jakarta. Quasi-experimental research design approach with pre-post test control group.

The results showed a significant increase in compliance in the group that conducted the RPT of S6 respondents consisted of 28 men and 28 control group the intervention group showed a significant increase in adherence ($P = 0.000$) in the intervention group before and after RPT. 3.75% incidence of recurrence occurred in the control group. Relapse prevention training is recommended to be developed as a form of health care I nursing soul for clients who undergo MMP heroin dependence.