

# Pengaruh terapi perilaku modeling partisipan terhadap kepatuhan minum obat pada klien penatalaksanaan regimen terapeutik tidak efektif di RSJD Dr. Amino Gondohutomo Semarang = The effect of modeling participant behavior therapy for medication adherence to therapeutic regimen management effective in RSJD Dr. Amino Gondohutomo Semarang

Dwi Indah Iswanti, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20300661&lokasi=lokal>

---

## Abstrak

Penatalaksanaan regimen terapeutik tidak efektif merupakan masalah keperawatan dengan karakteristik ketidakpatuhan klien melakukan regimen pengobatan dalam rutinitas sehari-hari. Ketidakpatuhan dalam pengobatan meningkatkan risiko masalah kesehatan, memperpanjang dan memperburuk kesakitan yang diderita. Terapi perilaku modeling partisipan merupakan suatu strategi meningkatkan kepatuhan dengan memodifikasi perilaku melalui role model perilaku kepatuhan dari seorang modeling.

Penelitian ini bertujuan mengidentifikasi pengaruh terapi perilaku modeling partisipan terhadap kepatuhan minum obat pada klien penatalaksanaan regimen terapeutik tidak efektif. Jenis penelitian kuasi eksperimen pre-post test dengan kelompok kontrol, menggunakan 64 sampel (intervensi dan kontrol) dengan instrumen kuesioner kepatuhan.

Hasil uji statistik menunjukkan ada perbedaan signifikan kepatuhan minum obat sebelum dan setelah diberikan terapi perilaku modeling partisipan pada kelompok intervensi. Guna mencapai hasil yang optimal maka terapi perilaku modeling partisipan dapat dilanjutkan dengan terapi kelompok suportif.

.....Ineffective therapeutic regimen management is a nursing problem with the characteristic of disobedience in doing treatment regimen in daily activity. Disobedience in therapy raising risk of health problem, prolong and aggravate disease. The Theory of modeling behaviour participant is a strategy to increase obedience by modifying behaviour through a role model person.

The aim of this study was to identify the influence of modeling behavior therapy participants on medication compliance. This study was a quasi experimental research of pre-post test with control group, using 64 samples (intervention dan control) with adherence questionnaire.

The result showed there was a significantly difference of the obedience in taking medicine between before and after therapy in intervention group. To reach an optimum result a modeling behavior therapy participants can be pursued to a supportive group therapy.