

Tingkat Pengetahuan Mahasiswa S2 FIK UI tentang Backpack Safety = The knowledge level of Magister Students Faculty of Nursing Universitas Indonesia about Backpack Safety.

Nindyah Panthoko Ratri, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20308515&lokasi=lokal>

Abstrak

Jumlah dari pelajar yang melaporkan nyeri punggung karena menggunakan backpack mencapai 64%. Selain itu, tingkat pengetahuan pelajar tentang backpack safety belum diketahui. Penelitian bertujuan mengetahui tingkat pengetahuan mahasiswa terhadap penggunaan backpack yang baik dengan menggunakan desain deskriptif sederhana. Pengambilan sampel pada 87 mahasiswa S2 FIK UI pengguna backpack menggunakan stratified random sampling. Hasil penelitian menunjukkan 90,8% mahasiswa memiliki tingkat pengetahuan baik mengenai pengertian backpack safety, cara memilih, teknik menggunakan, dan berat backpack, serta dampak dari penggunaan yang tidak sesuai dengan backpack safety. Meskipun pengetahuan mahasiswa baik, ternyata masih ditemukan keluhan nyeri punggung sebanyak 45,5% dan belum diketahui penyebabnya. Perilaku pengguna backpack perlu dikaji kembali untuk mengetahui penyebab terjadinya nyeri punggung terhadap penggunaan backpack sebagai tindakan pencegahan terjadinya nyeri punggung.

<i>The number of students who reported back pain due to backpack use reaches 64%. In addition, the level of student knowledge about backpack safety is unknown. This study aims to determine the knowledge level of students about backpack safety uses simple descriptive research design. Sampling at 87 backpack users on S2 FIK UI students using stratified random sampling. The results showed 90.8% of students have a good level of knowledge regarding the understanding of backpack safety, how to choose backpack, the technique in used backpack, maximum weight when carrying backpack, and the impact of the use that is incompatible with backpack safety. Although respondents have a good knowledge, back pain complain is still found as much as 45.5% and the cause is unknown. Backpack user behavior needs to be reassessed to determine the cause of back pain to backpack use as a preventive action to back pain.</i>