

Pengaruh asuhan keperawatan pada klien, keluarga dan peran pengawas minum obat terhadap kemandirian dan kepatuhan berobat klien schizoprenia di Kersamanah Garut = The effect of nursing process to client, family and ?Pengawas Minum Obat? role to independency and medication adherence of schizophrenic client in Kersamanah Garut

Rahmi Imelisa, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20314836&lokasi=lokal>

---

Abstrak

Prevalensi schizoprenia di Kersamanah adalah sebesar 2.6/1000 jiwa, dan 39,8% klien drop out berobat. Penelitian bertujuan mengetahui pengaruh asuhan keperawatan pada klien, keluarga dan peran PMO (terapi keperawatan) terhadap kemandirian dan kepatuhan berobat. Penelitian ini menggunakan desain quasy experiment dengan purposive sampling. Penelitian menggunakan instrumen kemandirian CMHN Jakarta dan MARS.

Hasil penelitian menunjukkan terdapat perubahan bermakna kemandirian dan kepatuhan berobat setelah diberikan terapi keperawatan ( $p\text{-value} \leq 0.05$ ). Terdapat perbedaan perubahan bermakna pada kelompok intervensi dan kontrol ( $p\text{-value} \leq 0.05$ ). Terdapat hubungan erat antara kemandirian dengan kepatuhan berobat ( $p\text{-value} < 0.05$ ). Saran dari penelitian ini adalah dikembangkannya asuhan keperawatan pada klien, keluarga dan peran PMO di Kersamanah.

.....The prevalence of schizoprenia in Kersamanah is 2.6/1000 person, 39.8% client has been drop out in medication. This research aimed to found the effect of nursing process to the client, family and PMO role (as nursing therapy) to independency and medication adherence. This research used a quasy experiment design with purposive sampling. This research use the instrument of independency from the CMHN Jakarta research and the MARS instrumen for medication adherence.

The result shows that there is a significant change of independency and medication adherence after intervension of nursing therapy ( $p\text{-value} < 0.05$ ). There is a significant differences change between intervention and control group ( $p\text{-value} < 0.05$ ). There is a close relation between independency and medication adherence ( $p\text{-value} < 0.05$ ). This research suggest continue implementation of nursing process to client, family and PMO role in Kersamanah.