

Tingkat pengetahuan murid sekolah di Kecamatan Bayah mengenai pertolongan pertama pada Malaria setelah mendapat penyuluhan = Knowledge level of first aid on malaria among school students in Bayah Subdistrict after health education was given

Kartika Hajarani, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20321546&lokasi=lokal>

Abstrak

Malaria merupakan penyakit yang dapat menimbulkan kematian. Untuk menurunkan angka kematian, masyarakat perlu mengetahui pertolongan pertama pada malaria, salah satunya lewat penyuluhan. Setelah mendapat penyuluhan dilakukan penelitian untuk mengetahui tingkat pengetahuan pertolongan pertama malaria. Penelitian dilakukan pada murid Madrasah Tsanawiyah, Kecamatan Bayah dengan desain cross sectional. Data diambil 16-18 Oktober 2009 dengan mewawancarai responden menggunakan kuesioner. Hasilnya menunjukkan responden perempuan sebanyak 60 orang (56,6%) dan laki-laki 46 orang (43,4%), usia <12 tahun 41,5% dan >12 tahun 58,5 %. Tingkat pengetahuan murid yang tergolong baik 22 orang (20,8%), cukup 44 orang (41,5%), dan kurang 40 orang (37,7%). Umumnya murid mendapat informasi dari 3 sumber (21,7,8%) dan sumber informasi paling berkesan adalah petugas kesehatan (57,5%). Kegiatan murid sehari-hari setelah sekolah adalah pengajian (50,9%). Murid yang tidak memiliki riwayat menderita malaria 79,2%. Pada uji chi-square tidak ada perbedaan bermakna ($p>0,05$) antara tingkat pengetahuan dengan jenis kelamin, jumlah sumber infromasi, sumber informasi paling berkesan, dan riwayat menderita malaria dalam keluarga, tetapi berbeda bermakna ($p<0,05$) dengan kelompok usia dan kegiatan sehari-hari. Disimpulkan tingkat pengetahuan murid mengenai pertolongan malaria tergolong cukup, berhubungan dengan usia dan jumlah sumber informasi, tetapi tidak berhubungan dengan jenis kelamin, kegiatan sehari-hari, sumber informasi paling berkesan, dan riwayat menderita malaria.

<i>Malaria is a disease that can cause a death. To reduce the mortality rate, public should have a good understanding about first aid on malaria. It can be given through health education. After giving a health ducation, a research was conducted to determine knowledge level regarding first aid on malaria. This crosssectional study was conducted on students of Madrasah Tsanawiyah, Bayah subdistrict. Data was collected on 16-18 October 2009 by interviewing respondents using questionnaires. The results showed, the respondents consist of 60 girls (56,6%), 46 boys (43,4%), and 58,5% above 12 years old. The students with good, fair, and poor knowledge are 22 students (20,8%), 44 (41,5%), and 40 (37,7%). Most of them got information from three sources (21,7%) and the the most impressive source was health care provider (57,5%). Respondents read Holy Quran as daily activities (50,95); and never had malaria (79,2%). Chi-square test showed no significant differences ($p>0,05$) between knowledge level of first aid on malaria with sex, information sources, and malaria history, but showed significant differences ($p<0,05$) with age and daily activity. In conclusion, the knowledge level of students regarding first aid on malaria was fair and associated with age and daily activities, but not associated with sex, number of information sources, the most impressive information and malaria history.</i>