

Status kehamilan dan pengaruhnya terhadap perilaku perawatan kehamilan = Pregnancy intention and Its effect on prenatal care Behaviors

Sarni Maniar Berliana, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20341588&lokasi=lokal>

Abstrak

Penelitian ini bertujuan untuk meneliti faktor-faktor yang mempengaruhi status kehamilan pada wanita pernah kawin dan pengaruhnya terhadap perilaku perawatan kehamilan. Data yang digunakan adalah hasil Survei Demografi dan Kesehatan Indonesia 2007. Analisis regresi logistik biner dengan efek random dan regresi logistik biner biasa digunakan dalam studi ini.

Hasil penelitian menunjukkan bahwa kecenderungan kehamilan yang tidak diharapkan lebih besar pada wanita yang mengandung pada umur lebih tua, berpendidikan lebih rendah, tidak memiliki otonomi dalam pemeriksaan kesehatan pribadinya, berasal dari rumah tangga menengah atau miskin, dan tinggal di perkotaan. Selain itu, terdapat perbedaan risiko kehamilan yang tidak diharapkan untuk wanita dengan karakteristik sosial-ekonomi dan demografi yang sama. Kehamilan yang tidak diharapkan memperbesar kecenderungan wanita untuk tidak memeriksakan kehamilannya pada semester pertama kehamilan, tidak melakukan jumlah kandungan pemeriksaan kehamilan sesuai anjuran program, atau tidak memeriksakan kehamilannya pada tenaga kesehatan profesional.

<hr>

This study aims to investigate factors affecting pregnancy intention among ever married women and their effects on prenatal care behavior. The data used for the analysis is from the 2007 Indonesia Demographic and Health Survey. Binary logistic regression with random-effect and ordinary logistic regression were applied in the study.

The findings show that the probability of unintended pregnancy is higher among women who were pregnant at older ages, had lower education, had no autonomy in her own health care, came from poorer household and lived in urban areas. The results also show that there is correlation between unintended pregnancy risk for women with the same socioeconomics and demographic characteristics. Unintended pregnancy increased the risk that women would not use prenatal care in the first trimester, make recommended number of prenatal care visits, and receive prenatal care from professional source.