

Hubungan karakteristik individu pengetahuan dan perilaku dengan kejadian schistosomiasis di wilayah kerja puskesmas wuasa dataran tinggi napu kabupaten Poso provinsi Sulawesi Tengah tahun 2013 = Relationship between individual characteristics knowledge and behavior with schistosomiasis pisodes in wuasa health center napu valley Poso district Central Sulawesi province 2013

Jumiati, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20345367&lokasi=lokal>

---

Abstrak

Program Pemerintah mengenai Schistosomiasis yaitu menurunkan prevalensi Schistosomiasis sampai kurang dari 1 %, di Dataran Tinggi Napu pada tahun 2011, prevalensi Schistosomiasis sebesar 2,15%. Penelitian ini bertujuan untuk mengetahui hubungan karakteristik individu, pengetahuan dan perilaku dengan kejadian Schistosomiasis di Dataran Tinggi Napu kabupaten Poso Sulawesi Tengah tahun 2013. Desain penelitian ini adalah kasus kontrol dengan total sampel 278 yang terdiri dari 139 kasus dan kontrol 139. Analisis data yang digunakan adalah univariat dan bivariat menggunakan uji statistik chi square (=5%).

Hasil penelitian menunjukkan terdapat hubungan yang bermakna antara pekerjaan, pengetahuan dan perilaku dengan kejadian schistosomiasis, dengan masing-masing OR, pekerjaan (3,3) pengetahuan (1,7) kontak dengan air(4,9), BAB disungai (2,1) penggunaan sepatu boot (7,8) mencuci disungai (1,8) dan mobilitas ke daerah endemis (1,9).

*Schistosomiasis control programme target is to reduce the prevalence of schistosomiasis less than 1 %. In Napu Valley in 2011, showed that the prevalence schistosomiasis in human is 2,15 %. This study objective is to determine the relationship between individual characteristics, knowledge and behavior with Schistosomiasis episodes in Napu Valley in Poso District of Central Sulawesi. The study design is case control study, with total sample is 278, which contain 139 cases and 139 controls. Statistical analysis using univariate and bivariate analysis with chi square statistical test ( = 5%).*

*The results showed there is any significant relationship between individual characteristics, knowledge and behavior with Schistosomiasis episodes. The odd ratio of occupation (3,3), knowledge (1,7), contact with contaminated water (4,9), defecation behavior in river/ditch (2,1), wearing boots (7,8), laundering in river/ditch (1.8) and mobilization to endemic areas (1,9).*