

# Analisis Risiko Pada Fasilitas Normally Unmanned Installation (NUI) Menggunakan Metode Semi Quantitative Risk Analysis (SQRA) = Risk Analysis On Normally Unmanned Installation (NUI) Facilities Using Semi Quantitative Risk Analysis SQRA Method

Ajang Indra, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20345656&lokasi=lokal>

---

## Abstrak

Perhitungan risiko pada fasilitas industri diperlukan untuk melihat nilai risiko yang dapat berdampak kepada aspek keselamatan pekerja, lingkungan, finansial, dan reputasi perusahaan. Perhitungan risiko pada fasilitas Normally Unmanned Installation (NUI) biasanya tidak mengakomodir keberadaan personil atau pekerja, sehingga nilai risiko tidak dapat diterapkan ketika ada rencana penempatan pekerja ke atas NUI. Penelitian ini ditujukan untuk mengetahui nilai risiko yang ada di NUI bersamaan dengan rencana penempatan personil keamanan. NUI yang dijadikan objek kajian adalah dua tipe platform dengan kondisi berbeda. Nilai risiko diperoleh dengan pendekatan metode Semi Quantitative Risk Analysis (SQRA) melalui penjabaran faktor-faktor risiko ke dalam kriteria likelihood dan consequence. Kriteria likelihood dan consequence dirangking dari nilai 1 sampai 5 sesuai dengan Matriks Risiko skala 5 x 5 yang digunakan. Hasil perhitungan risiko menunjukkan bahwa nilai risiko pada NUI berada pada level "low risk" dan acceptable.

.....Risk assessment on industrial facilities needed to see the risks that may impact on safety, environmental, financial, and corporate reputation. Risk assessment on Normally Unmanned Installation (NUI) facilities usually do not accommodate the existence of personnel or employees, so the risk value can not be applied when there is a plan to personnel deployment on NUI. This study aimed to determine the risk value inherent with security personnel deployment planning at NUI. The NUI that will be assessed are two type platforms with different conditions. Risk values obtained by semi quantitative risk analysis method through determination of likelihood and consequence criteria. Likelihood and consequence criteria values ranked from 1 to 5 according to scale of Risk Matrix 5 x 5 used. Risk assessment results show that NUIs risk level is at "low risk" and broadly acceptable.