

# Tingkat pengetahuan lansia terhadap gizi seimbang dan risiko terjadinya hipertensi pada kelompok lansia di wilayah Puskesmas Mangunjaya Bekasi = The level of elders knowledge towards balance nutrition and the risk of hypertension in the group of elders in Puskesmas Mangunjaya area

Sitanggang, Ana Roma Ida, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20347064&lokasi=lokal>

---

## Abstrak

Diperkirakan pada tahun 2050 jumlah penduduk lansia yang berusia diatas 60 tahun akan mencapai sekitar 2 milyar jiwa. Masalah yang terjadi jumlah lansia semakin meningkat risiko masalah kesehatan salah satunya hipertensi juga mengalami peningkatan. Desain penelitian deskriptif korelatif dengan metode cross sectional menggunakan teknik simple random sampling terhadap 91 orang lansia dari periode bulan Mei Juni 2013. Hasil uji statistik Chi Square menunjukkan tidak ada hubungan antara tingkat pengetahuan lansia terhadap gizi seimbang dengan risiko hipertensi  $p = 0.068 > 0.05$ . Hal ini menunjukkan bahwa lansia yang berpengetahuan rendah mempunyai peluang 2.493 kali untuk risiko tinggi hipertensi dibanding lansia yang tingkat pengetahuannya tinggi. Modifikasi gaya hidup sangat baik diterapkan bagi lansia yang berisiko hipertensi.

<hr><i>It is predicted that in 2050 the amount of elders above 60 years would reach 2 billion in amount. The problem is when the amount of elders is increasing the health risk problem which one of them is hypertension also increasing in volume. The design of research which used descriptive correlative with cross sectional method using simple random sampling technique towards 91 elders from mei until jun 2013. The statistic result of Chi Square showed that there isn't any relation between the level of elders knowledge and the balance nutrition with the risk of hypertension  $p = 0.068 > 0.05$ . This indicates that the elders with low knowledge have the chance 2.493 times of high risk of hypertension compare to those who have good knowledge. The modification of lifestyle is a good way to be applied for the elders who have hypertension risk.</i>