

Perbandingan keberadaan larva aedes sp pada kontainer dalam rumah antara rw 03 dan rw 07 kelurahan cempaka putih barat jakarta pusat =
The comparison of existence of aedes sp larvae in indoor containers between rw 03 and rw 07 in kelurahan cempaka putih barat central jakarta

Sari Mardiah, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20347825&lokasi=lokal>

Abstrak

Kasus Demam Berdarah Dengue DBD masih menjadi masalah kesehatan masyarakat di Indonesia salah satunya yaitu Jakarta Cempaka Putih merupakan salah satu zona merah kasus DBD yang terdapat di Jakarta Pusat Vektor penyakit DBD yaitu nyamuk Aedes sp dengan tempat perkembangbiakan terseringnya yaitu kontainer dalam rumah Penelitian ini dilakukan dengan metode cross sectional melalui survey larva secara single larval method terhadap kontainer dalam rumah di dua RW Kelurahan Cempaka Putih Barat dengan karakteristik pemukiman yang berbeda RW 03 memiliki karakteristik pemukiman menengah ke atas dengan jarak antar rumah yang cukup jauh dan RW 07 dengan karakter pemukiman menengah ke bawah dan jarak antar rumah yang dekat

Hasil penelitian menunjukkan jumlah kontainer dalam rumah pada RW 03 242 kontainer lebih banyak dari RW 07 199 kontainer dengan jenis kontainer terbanyak yaitu bak mandi di kedua RW tersebut Begitu juga dengan jumlah kontainer dalam rumah positif larva pada RW 03 delapan belas kontainer lebih banyak dari RW 07 empat belas kontainer dengan jenis kontainer dalam rumah positif larva terbanyak juga bak mandi Hasil uji kemaknaan Chi square p 0 86 menunjukkan keberadaan larva Aedes sp antara kedua RW tersebut tidak memiliki perbedaan bermakna Ini menunjukkan bahwa keberadaan larva tidak berhubungan dengan karakteristik pemukiman kedua RW tersebut.

.....Dengue Hemorrhagic Fever DHF is still be one of the public health problem in Indonesia especially in Jakarta Cempaka Putih is one of the red zone of DHF in Central Jakarta DHF is a vector borne disease carried by Aedes sp mosquitos as the vector the most dominant breeding place of which is in indoor containers This research was using cross sectional method to identify the distribution of indoor containers and the existence of Aedes sp larvae in two regions in Kelurahan Cempaka Putih Barat which have different characteristic of settlement The characteristic of RW 03 is upper middle class settlement with distance between houses are far enough and RW 07 consists of lower middle class settlement with distance between houses are quite close

The result of this research showed indoor containers found in RW 03 242 containers more than RW 07 199 containers with bathtub as the most frequent types of containers Also the indoor containers with positive larvae larvae were found in RW 03 eighteen containers more than in RW 07 fourteen containers with bathtub as the most frequent types of containers with positive larvae In conclusion based on the results of statistical tests p 0 86 the existence of Aedes sp larvae in indoor containers in the two regions is not significantly different It means that the existence of larvae was not related to the characteristics of the two regions