

Analisis praktik klinik keperawatan kesehatan masyarakat perkotaan pada pasien Post Operasi Laparatomi Apendiktomi Et Causa Apendisitis Perforasi di RSUP Fatmawati Obat = Analysis clinical practice of urban health nursing in patient with Post Surgery Lapparotomy Appendectomy Cause of Perforation Appendicitis at RSUP Fatmawati Hosptal

Widia Sandy, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20351601&lokasi=lokal>

Abstrak

Angka kejadian apendisitis di Negara maju khususnya daerah perkotaan meningkat. Apendisitis dapat terjadi karena pola konsumsi makanan rendah serat yang menjadi kebiasaan masyarakat urban perkotaan. Komplikasi apendisitis antara lain perforasi. Komplikasi ini menimbulkan berbagai efek, salah satunya anak mengalami peningkatan suhu tubuh di atas normal. Karya ilmiah ini bertujuan untuk menggambarkan asuhan keperawatan anak post operasi laparatomi apendiktomi hari ke empat. Karya ilmiah ini juga menerapkan terapi komplementer berupa terapi tepid sponge. Didapatkan kesimpulan bahwa suhu tubuh pada anak dapat turun 0.9°C setelah 60 menit dengan mengaplikasikan terapi tepid sponge disertai antipiretik pada anak yang mengalami peningkatan suhu tubuh.

.....

The incidence of appendicitis in rich countries, especially at the urban areas increased. Appendicitis can occur due to low fiber food consumption patterns urban communities that became their habit. One of complications appendicitis is perforated appendicitis. This complication cause some effects, one of the effects is increasing child body temperature above normal. This paper aims to describe the nursing care children laparotomy appendectomy postoperative day four. This paper is also implementing a complementary therapy treatment tepid sponge. The conclusion is the child's body temperature dropped to 0.9 ° C after 60 minutes by applying tepid sponge with antipyretic therapy in children who experienced an increase in body temperature.