

Manajemen kasus spesialis pada klien Skizofrenia dengan halusinasi menggunakan pendekatan konsepsual model interpersonal Peplau dan model stres adaptasi Stuart di Ruang Utari Rumah Sakit Dr. Marzoeki Mahdi Bogor = Case management specialist to Schizophrenia client with hallucination using Peplau's interpersonal model conceptual and the Stuart's stress adaptation model of approach in utari room of Dr. Marzoeki Mahdi Hospital Bogor

Esrom Kanine, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20358585&lokasi=lokal>

Abstrak

Halusinasi adalah salah satu gejala positif dari Skizofrenia (Stuart & Laraia, 2005). Cognitive Behavior Therapy dapat meningkatkan kemampuan untuk mengontrol halusinasi (Stuart & Laraia, 2005). Tujuan penulisan karya ilmiah akhir ini adalah menggambarkan penatalaksanaan asuhan keperawatan dengan pendekatan konsepsual model interpersonal Peplau dan model stres adaptasi Stuart pada klien skizofrenia dengan halusinasi. Penerapan Cognitive Behavior Therapy dilakukan pada 27 orang klien di ruang Utari RS Dr. Marzoeki Mahdi Bogor pada periode 20 Februari - 20 April 2012.

Hasil Cognitive Behavior Therapy sangat efektif pada 27 klien menunjukkan peningkatan kemampuan klien skizofrenia dengan halusinasi dalam mengontrol halusinasi. Berdasarkan hasil di atas perlu direkomendasikan bahwa Cognitive Behavior Therapy dapat dijadikan standar terapi spesialis keperawatan jiwa.

.....

Hallucinations are one of the positive symptoms of Schizophrenia (Stuart & Laraia, 2005). Cognitive Behavior Therapy can improve the ability to control the hallucinations (Stuart & Laraia, 2005). The purpose of this final scientific work is to describe the management of nursing care to client with hallucinations using Peplau's interpersonal model conceptual and the Stuart's stress adaptation model of Approach. Application of Cognitive Behavior Therapy performed on 27 clients in Utari ward of Dr. Marzoeki Mahdi Hospital Bogor on 20th February - 20th April 2012.

The results of Cognitive Behavior Therapy is very effective on 27 clients that showed an increase in the client's ability to interact with others. Based on the results above, need to be recommended that Cognitive Behavior Therapy can be used as standard therapy of psychiatric nursing specialists.