

Prevalensi skabies dan hubungannya dengan jenis kelamin dan tingkat pendidikan santri pesantren x jakarta timur = The prevalence of scabies and its association with gender and education level of students pesantren x east jakarta

Amajida Fadia Ratnasari, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20367498&lokasi=lokal>

Abstrak

Skabies merupakan penyakit kulit yang banyak ditemukan di lingkungan padat hunian seperti pondok pesantren. Karakteristik santri diduga berperan terhadap kejadian skabies. Penelitian ini bertujuan mengetahui prevalensi skabies dan hubungannya dengan jenis kelamin dan tingkat pendidikan santri Pesantren X, Jakarta Timur. Penelitian menggunakan desain cross-sectional dan data diambil pada tanggal 10 Juni 2012 dengan melakukan anamnesis dan pemeriksaan dermatologi terhadap semua santri (192 orang). Data diolah menggunakan program SPSS versi 20.0 dan dianalisis dengan uji chi square.

Hasil penelitian menunjukkan prevalensi skabies 51,6% (laki-laki 57,4% dan perempuan 42,9%; tsanawiyah 58,1% dan aliyah 41,3%) dengan lokasi lesi skabies terbanyak di bokong (33,8%) dan di sela-sela jari tangan (29,2%). Uji chi square menunjukkan perbedaan bermakna pada prevalensi skabies berdasarkan jenis kelamin ($p=0,048$) dan tingkat pendidikan ($p=0,023$). Disimpulkan prevalensi skabies di Pesantren X, Jakarta Timur adalah 51,3% dan berhubungan dengan jenis kelamin dan tingkat pendidikan.

Scabies is a common skin disease, especially in crowded places, like pesantren. Characteristics of the students there are believed to be associated with scabies. The purpose of this study was to determine the prevalence of scabies and its association with gender and education level of students Pesantren X, East Jakarta. This cross sectional study was conducted on June 10, 2012 by performing anamnesis and dermatology examination to all students (192 students). Data are managed with SPSS version 20.0 and analyzed with chi square test.

The results showed that the prevalence of scabies was 51,3% (male 57,4% and female 42,9%; education level tsanawiyah 58,1% and aliyah 41,3%). Most lesions are found in buttocks (33,8%) and interdigital space of the hand (29,2%). Chi square test have shown significant difference between the prevalence of scabies with gender ($p=0,048$) and educational level ($p=0,023$) of the students. In conclusion, the prevalence of scabies in Pesantren X, East Jakarta is 51,3% and there is association between the prevalence of scabies with gender and educational level of the students.