

Faktor-faktor yang berhubungan dengan penggunaan metode kontrasepsi jangka panjang pada akseptor keluarga berencana di wilayah kerja UPT Puskesmas Serpong 1 Kota Tangerang Selatan tahun 2013 = Factors that affect the use of methodical contraception for long period on acceptors of birth control in UPT Serpong 1 local government clinic, Southern Tangerang in year 2013

Annisa Safitri, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20368244&lokasi=lokal>

Abstrak

Penduduk dunia akan mencapai 7,2 miliar jiwa tahun 2013. Penduduk di Indonesia tahun 2012 mencapai 244,2 juta jiwa. Secara nasional pengguna non metode kontrasepsi jangka panjang 79,87% dan pengguna metode jangka panjang 20,13%. Di UPT Puskesmas Serpong 1 pengguna metode kontrasepsi jangka panjang menurun dari 13,7% menjadi 10,8% sedangkan pengguna non metode kontrasepsi jangka panjang meningkat dari 86,3% tahun 2011 menjadi 89,2% tahun 2012.

Tujuan penelitian ini diketahuinya faktor-faktor yang mempengaruhi penggunaan metode kontrasepsi jangka panjang pada akseptor keluarga berencana.

Desain penelitian menggunakan kasus kontrol. Teknik pengambilan sampel menggunakan systematic sampling. Besar sampel dalam penelitian ini 212 responden. 106 untuk populasi kasus yaitu pengguna metode kontrasepsi jangka panjang dan 106 untuk kontrol yaitu pengguna non metode kontrasepsi jangka panjang. Uji statistik menggunakan uji kai kuadrat.

Hasil penelitian yang secara signifikan mempengaruhi penggunaan metode kontrasepsi jangka panjang adalah umur (OR sebesar 2,0), jumlah anak yang dimiliki (OR sebesar 2,9), persepsi tentang jumlah anak ideal (OR sebesar 0,5), sikap terhadap MKJP (OR sebesar 2,9), komunikasi suami-istri tentang MKJP (OR sebesar 5,2), jarak ke pusat pelayanan yang menyediakan MKJP (OR sebesar 4,1), dan paparan terhadap media massa yang berisi MKJP (OR sebesar 4,6).

.....The population of the world would reach 7.2 billions in 2013. Population in Indonesia in 2012 was 244.2 millions. Nationally the users of non-methodical contraceptions for long period was 79.89% and the users of methodical contraceptions for short period was 20.13%. The users of methodical contraceptions for long period in UPT serpong local clinic 1 decreased from 13,76% to 10.8% whereas the users of non-methodical contraceptions for long period increased from 86.3% in year to 89.2%.

The purpose of this research is to acknowledge the factors which affected the use of the methodical contraceptions for long period on acceptors of birth control. Design of this research used controlled case. The technique of sample withdrawal used systematic sampling. The number of sample in this research was 212 respondents. There was 106 respondents for population case who were the users of non-methodical contraceptions for long period. Statistics test used chi square.

The results of research that significantly affected the users of methodical contraceptions for long period were age (OR = 2.0), amount of children owned (OR = 2.9), perception of having ideal number of kids (OR = 0,5), behaviour towards MKJP (OR=2,9), communication in married couple about MKJP (OR=5.2), distance to service centre that provide MKJP (OR=4,1) and exposure to public media involving MKJP (OR = 4.6).