

Faktor-faktor yang berhubungan dengan rutinitas ibu menimbang Batita di Posyandu di Desa Benda dan Merak Kecamatan Balaraja Kabupaten Tangerang tahun 2007 = The influence hose of condition with pneumonia happening on the baby in Sukaraja public health center distric Bandar Lampung City on 2009

Dyahsuslam Tri L., author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20377341&lokasi=lokal>

Abstrak

Puskesmas Sukaraja Kecamatan Telukbetung Selatan merupakan salah satu dari 27 puskesmas yang ada di Kota Bandar Lampung dengan cakupan kasus pneumonia yang tinggi dibandingkan dengan puskesmas lain yaitu tahun 2008 dari 5.661 seluruh kasus, sebanyak 32,56% terdapat di Puskesmas Sukaraja. Penelitian ini dilakukan untuk mengetahui pengaruh kondisi rumah meliputi Kelembaban, suhu, pencahayaan, ventilasi, kepadatan hunian kamar, penggunaan obat nyamuk bakar, jenis bahan bakar untuk masak, dan kebiasaan merokok dengan kejadian pneumonia pada balita di Puskesmas Sukaraja Kota Bandar Lampung dan pengaruh karakteristik balita antara lain jenis kelamin, status gizi, asi eksklusif, imunisasi dengan kejadian pneumonia pada balita di Puskesmas Sukaraja Kota Bandar Lampung.

Disain penelitian kasus kontrol dengan jumlah responden 240 orang yang terdiri atas kasus 120 orang dan kontrol 120 orang. Sampel dalam penelitian ini adalah seluruh balita usia 12 ? 59 bulan yang tinggal di wilayah Puskesmas Sukaraja dengan kriteria: Kriteria inklusi kasus dan kontrol sebagai berikut: Sampel tinggal di wilayah puskesmas Sukaraja dan dinyatakan menderita pneumonia sesuai dengan gejala demam, nafas cepat 40 kali per menit atau lebih dan tarikan dinding dada bagian bawah kedalam (TDDK), sampel memeiliki KMS, responden mau bekerjasama dengan peneliti, kontrol merupakan balita yang rumahnya paling dekat dengan kasus dan tidak menderita pneumonia berdasarkan hasil pemeriksaan tenaga kesehatan di Puskesmas Sukaraja. Kriteria eksklusi kasus dan kontrol: Sampel memiliki penyakit menahun atau kronik seperti tuberculosis dan asma, sampel menderita pneumonia namun tinggal di luar wilayah Puskesmas Sukaraja, sampel atau responden menolak untuk diwawancara.

Variabel terikat kejadian pneumonia pada balita dan variabel bebas terdiri dari ventilasi, kepadatan hunian kamar, jenis bahan bakar, penggunaan obat nyamuk bakar, suhu, pencahayaan, kelembaban, jenis kelamin, status gizi, ASI eksklusif, dan imunisasi. Faktor risiko yang berpengaruh terhadap kejadian pneumonia pada balita yaitu jenis kelamin, status gizi, imunisasi, kepadatan hunian kamar dan kelembaban. Faktor yang paling dominan mempengaruhi kejadian pneumonia pada balita adalah variabel kelembaban. Upaya yang dilakukan adalah promosi dan sosialisasi kepada masyarakat tentang penyakit pneumonia, rumah sehat, status gizi balita dan imunisasi.

.....Sukaraja Public Health Center Kecamatan Telukbetung Selatan to from one of them for 27 Public Health Center which any in Bandar lampung City with to seize problem pneumonia which high to equal with other Public Health Center such on 2008 for 5.661 all problem, to much 32,56% found in Public Health Center Sukaraja. This research done for to know the conditions influence of house such as dampness, temperature, lighting, ventilation, full room habitation, to use remedy against gnats, the kind fuel oil for cook, and smoking habitually with pneumonia happening for the baby in Sukaraja Public Health Center in Bandar Lampung City and characteristic influence the baby such as gender, nutritious statu, asi eksklusif, imunisasi

with pneumonia influence for baby in Sukaraja Public Health Center Bandar Lampung City.

The research design case control with total respondent 240 people which to consist of 120 problem people and 120 control people. Sample with this research are all the babies age 12-59 months which live in Sukaraja Public Health Center district with criteria: problem inclusive criteria and as follow control: live sample in Sukaraja Public Health Center district and to make clear suffering pneumonia to match with fever indication, fast breath 40 time per minute or more and pull chest partition part of the bottom into deep, Sample have KMS, respondent wants to cooperate with researcher, to form control the baby who the house near with the problem and no pneumonia suffer the based on inspection result paramedic in Sukaraja Public Health Center. Problem exclusi case and control: Have sample to stay for one year illness or chronic such as tuberculosis and asma, pneumonia suffer sample in spite of live in out Sukaraja Public Health Center district, sample or respondent reject for interview.

Bunch variable happenings pneumonia for the baby and free variable such as ventilation, full room habitation, the kind fuel oil, to use remedy against gnats, temperature, gender, nutritious status, asi eksklusif, imunisasi. Risk factor which influential towards pneumonia happenings for the baby that is gender, nutritious status imunisasi, full room habitation, dampness. The most dominated factor influence pneumonia happenings for the baby is dampness variable. The action which to do is promotion and socialization to public about pneumonia, healthy house, the baby nutritious status and imunisasi.