

Hubungan antara kondisi lingkungan rumah dengan kejadian TB paru di wilayah kerja Puskesmas Bogor Utara, Kecamatan Bogor Utara, Kota Bogor tahun 2014 = The relationship between environmental conditions of house with the incidence of pulmonary tuberculosis in the work area of health center Bogor Utara in 2014

Putih Ayu Perani, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20386158&lokasi=lokal>

Abstrak

TB paru merupakan salah satu prioritas nasional di Indonesia, karena berdampak luas terhadap kualitas hidup dan ekonomi, serta sering mengakibatkan kematian (Risksdas, 2013). Di Wilayah kerja Puskesmas Bogor Utara tahun 2013, jumlah penderita TB paru sebanyak 54 orang dan berdasarkan data Dinas Kesehatan Kota Bogor tahun 2013, dari 9.649 rumah masih terdapat 2.588 rumah yang tidak memenuhi syarat rumah sehat yang merupakan faktor risiko terjadinya penyakit tuberkulosis.

Tujuan : Mengetahui hubungan antara kondisi lingkungan rumah dengan kejadian TB paru di wilayah kerja Puskesmas Bogor Utara. Selain itu, melihat pengaruh faktor karakteristik individu (umur, pendidikan, status gizi dan jenis kelamin) terhadap kejadian TB paru.

Metode : Desain penelitian yang digunakan adalah kasus control. Subjek penelitian pada kelompok kasus adalah penderita TB paru BTA (+) yang berusia 15 tahun keatas yang terdata dalam register Puskesmas (Januari-Desember 2013). Sedangkan, kelompok kontrol adalah sebagian tetangga kelompok kasus yang mempunyai riwayat tidak menderita TB paru dengan karakteristik yang kurang lebih sama dengan kelompok kasus seperti usia, jenis kelamin.

Hasil : Dari hasil penelitian ditemukan bahwa kondisi lingkungan rumah yang berisiko terhadap kejadian TB paru adalah ventilasi ($p = 0,011$, OR = 5,464), pencahayaan ($p = 0,043$, OR = 4,030), kelembaban ($p = 0,002$, OR = 8,143) dan kepadatan hunian ($p = 0,043$, OR = 4,030). Sedangkan, karakteristik individu yang mempengaruhi kejadian TB paru adalah pendidikan ($p = 0,048$, OR = 3,778).

Kesimpulan : Terdapat hubungan antara kondisi lingkungan rumah (ventilasi, pencahayaan, kelembaban dan kepadatan hunian dengan kejadian TB paru. Selain itu, pendidikan juga memiliki hubungan dengan kejadian TB paru.

Pulmonary tuberculosis is one of the national priorities in Indonesia, because the wide-ranging impact on quality of life and economy, and often result in death. Based on data from Health Center Bogor Utara in 2013, there were 54 people suffered pulmonary tuberculosis and based on the data of Bogor City Health Department in 2013, from 9649 there is still 2,588 houses that not qualify as healthy houses, where it is a risk factor for pulmonary tuberculosis.

Objective : This study aims to determine the relationship between environmental conditions of house (house ventilation, temperature and humidity of house, residential density of house, lighting and type of wall and floor) with the incidence of pulmonary tuberculosis in the work area of Health Center Bogor Utara. Researcher also relates some covariate factors such as characteristics of individual (age, education, nutritional status and gender) to the research.

Method : The design study is a case control with subjects in cases group are patients with pulmonary TB aged above 15 years were recorded in the register data The Health Center (January-December 2013).

Meanwhile, the control group are neighbors case's group who didn't have a history of suffering from pulmonary TB with more or less have the same characteristics with cases such as age and gender.

Result : From the research found that the environmental conditions of house is at risk on the occurrence of pulmonary tuberculosis is ventilated house ($p = 0,011$, $OR = 5,464$), lighting ($p = 0,043$, $OR = 4,030$), humidity ($p = 0,002$, $OR = 8,143$) and residential density of house ($p = 0,043$, $OR = 4,030$).

Conclusion : This study concluded that there is a relationship between the environmental conditions of house (ventilation, lighting, humidity and residential density of house) with pulmonary tuberculosis incidence. Moreover, education also has a relationship with the incidence of pulmonary tuberculosis.</i>