

Analisis risiko MSDs pada aktivitas manual handling di bagian pengepakan gallon departemen blending PT WGI tahun 2014 = Risk analysis of msds in manual handling activity at gallon packaging blending PT WGI 2014

Putu Grahita Teja Kurmawan, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20389021&lokasi=lokal>

Abstrak

ABSTRAK

Seiring dengan kemajuan sektor industri di masa sekarang ini membuat peran serta tenaga manusia juga akan meningkat pada sektor tersebut. Pada proses produksi di sektor industri itu sendiri masih banyak aktivitas menggunakan alat-alat manual yang harus melibatkan manusia dalam sistem pekerjaannya atau kita kenal dengan aktivitas manual handling. PT WGI merupakan industri pelumas yang salah satunya memproduksi berbagai macam jenis pelumas baik pelumas mesinomotif maupun mesin industri. Secara umum tahapan proses produksi pelumas meliputi penyiapan bahan material seperti galon untuk pelumas, pengisian, pengencangan tutup galon, pemberian label, serta pengepakan atau pengemasan. Penelitian ini bertujuan untuk memberikan gambaran tingkat risiko MSDs dan keluhan yang dialami oleh pekerja di bagian proses pengepakan gallon departemen blending PT WGI serta melihat kontribusi dari karakteristik individu seperti umur, masa kerja, dan kebiasaan merokok, olahraga dan stretching. Penelitian ini menggunakan desain crosssectional dengan waktu penelitian dilakukan selama 1 bulan. Instrument penelitian yang digunakan untuk melihat tingkat keluhan adalah NIOSH Lifting Equation (NLE), Assesment of Repetitive Task (ART), Rapid Upper Limb Assesment (RULA)

Hasil penelitian ini adalah menunjukkan bahwa masing-masing unit proses memiliki tingkat risiko ergonomi berbeda-beda. Perbedaan ini dikarenakan karakteristik proses kerja pada tiap unit berbeda. Untuk proses kerja dengan aktivitas mengangkat menggunakan kedua tangan secara bersamaan maka penilaian menggunakan NIOSH lifting equation (NLE) seperti aktivitas pada unit kerja gallon preparation 1 dan packaging. Sedangkan untuk aktivitas yang bersifat repetitive penilaian menggunakan Assessment of Repetitive Task (ART). Rata-rata pekerja dengan umur diatas 30, masa kerja diatas 5 tahun, memiliki kebiasaan merokok, dan tidak pernah olahraga secara teratur serta tidak melakukan aktivitas stretching mengalami keluhan MSDs lebih tinggi.

<hr>

ABSTRACT

In a progress of the industrial sector in this time, it have made the role of human labor will also rise. At the process of production in the industrial sector itself still a lot of activity which is using manual tools that should involve humans in the system, we called it manual handling activities. PT WGI is one of industrial lubricant, which produces various types of automotive engine lubricants and industrial machinery. In general, the stages of the production process includes the preparation of lubricating material such as gallons of lubricant, filling, firming gallon cap, labeling, and packaging. This study aims to provide an overview of the level of risk of MSDs and complaints by workers in blending process department gallon packaging PT WGI and want to see the contribution of individual characteristics such as age, years of service, and smoking, exercise and stretching habits. This study used a cross-sectional design of the study was conducted

during the period of 1 month. Research instrument used to look at the level of the NIOSH Lifting Equation is a complaint (NLE), Assessment of Repetitive Task (ART), Rapid Upper Limb Assessment (RULA). The results of this study is to show that each process unit has ergonomic risk levels vary. This difference is due to the characteristics of the work process is different in each unit. For the process of working with lifting activities using both hands simultaneously then use NIOSH lifting equation assessment (NLE) like activity in unit 1 gallon preparation and packaging. As for activities that are repetitive assessment using the Assessment of Repetitive Task (ART). The average worker with age above 30 years, over 5 years of service, has smoking habit, and never exercise regularly and do not perform stretching activities have complaints MSDs higher.