

Determinan pemanfaatan pelayanan kesehatan pada lansia yang sakit di Indonesia tahun 2012 analisis data Susenas panel tahun 2012 = Determinants of outpatient health services utilization rjtp rjtl and inpatient in indonesia in 2012 data analysis susenas year 2012

Ruly Wahyuni, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20390160&lokasi=lokal>

---

Abstrak

Pemanfaatan pelayanan kesehatan mempunyai pengaruh dalam meningkatkan status kesehatan lanjut usia. Jumlah lanjut usia di Indonesia tahun 2012 merupakan nomor lima terbesar di dunia dan jika dibandingkan dengan tahun 1990 jumlah tersebut diprediksikan akan meningkat 414% pada tahun 2025 namun tingkat pemanfaatan pelayanan kesehatan lansia di Indonesia paling rendah di antara tetangga di Asia Tenggara, sedangkan angka kesakitan lansia tahun 2005 29,98% dan tahun 2007 meningkat menjadi 31,11%.

Penelitian ini merupakan analisis data sekunder Susenas tahun 2012 yang merupakan penelitian kuantitatif dengan rancangan cross sectional dan menggunakan uji chi square. Penelitian ini bertujuan untuk melihat determinan yang berhubungan dengan pemanfaatan pelayanan kesehatan di rawat jalan (RJTP/RJTL) dan rawat inap pada lanjut usia di Indonesia. Unit analisis adalah lanjut usia berumur 60 tahun yang mengalami keluhan kesehatan.

Hasil analisis menunjukkan bahwa pemanfaatan yankes pada lansia memang sangat rendah dengan masih banyaknya lansia dengan keluhan kesehatan namun tidak memanfaatkan yankes (unmet need), faktor yang berhubungan dengan pemanfaatan pelayanan kesehatan rawat jalan tingkat pertama (RJTP): pendidikan, kepemilikan jamkes, status ekonomi, variabel urban/rural, gangguan aktivitas; sedangkan di rawat jalan tingkat lanjut(RJTL) yaitu: status kawin, pendidikan, pekerjaan, kepemilikan jamkes, status ekonomi, urban/rural serta gangguan aktivitas; Serta di rawat inap(ranap): pendidikan, kepemilikan jamkes, status ekonomi, gangguan aktivitas.

Saran dari studi ini adalah Untuk meningkatkan utilisasi/pemanfaatan pelayanan kesehatan di Puskesmas maka diharapkan adanya sosialisasi yang berkesinambungan kepada masyarakat tentang pentingnya pemeliharaan kesehatan lansia, meningkatkan akses informasi pelayanan kesehatan bagi lansia, mendorong Pemerintah Pusat dan Daerah untuk memberi dukungan anggaran dalam menyediakan fasilitas pelayanan kesehatan yang sesuai dengan kondisi lansia, diantaranya Home Care bagi lansia, menambah dan memperkuat serta pemerataan tenaga kesehatan yang terlatih dalam menangani lansia, memperluas cakupan jaminan kesehatan yang menjamin seluruh biaya pengobatan para lansia termasuk lansia dengan kasus multipatologis, mendorong Pemerintah Pusat maupun Daerah untuk mensosialisasikan ke para dokter di pelayanan kesehatan tingkat Pertama seperti Puskesmas, Dokter praktek Umum supaya lebih memahami konsep dan penerapan SJSN.

<hr><i>Utilization of health services have an influence in improving the health status of the elderly. The number of elderly people in Indonesia in 2012 is the fifth largest in the world and when compared with 1990 that number is projected to be increased 414% by the year 2025, but the level of utilization of health services in the Indonesian elderly is the lowest among Southeast Asian countries, while the morbidity of elderly in 2005 is 29.98% and increased in 2007 which reached 31.11%.

This study is a secondary data analysis of Susenas Panel in 2012 which is a quantitative study with cross-

sectional design and the use of chi square test. This study aims to look at the determinant related to the utilization of health services in outpatient (RJTP / RJTL) and hospitalization in the sick elderly in Indonesia. The unit of analysis is the elderly aged 60 years who had health complaints.

The analysis showed that the utilization of health services is very low in the sick elderly because still many elderly with health complaints but does not utilize health services (unmet need), factors related to the utilization of outpatient health services first level (RJTP): education, ownership health insurance, economic status, variable urban / rural, impaired activity; while in outpatient settings (RJTL) ie: marital status, education, occupation, ownership health insurance, economic status, urban / rural and impaired activity; in the facility of hospitalization (ranap): education, ownership health insurance, economic status, impaired activity.

Suggestions of this study is to increase the utilization of health services at the health center, it is expected that continuous socialization to the community about the importance of elderly health maintenance, improving access to health care information for the elderly, encourage the Central and Local Government to provide budget support in providing health care facilities in accordance with the conditions of the elderly such as home care service, add and strenghtend the equity of health personnel trained in handling elderly, expanding health insurance coverage that ensures the entire cost of treatment of the elderly including elderly with multipatologis case, encourage central and regional government to socialize the doctors at first level health services such as health centers, physician practices, so that the health personel at the first level better understand the concept and application of the Social Security System.