

Persepsi remaja terhadap kesan menakutkan pada peringatan kesehatan bergambar di bungkus rokok ditinjau dari Extended Parallel Process Model = Perceptions of teenagers toward fear appeal in pictorial health warning on cigarette pack reviewed from Extended Parallel Process Model

Andi Annisa Dwi Rahmawati, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20410936&lokasi=lokal>

Abstrak

Tujuan pencantuman Peringatan Kesehatan Bergambar (PKB) pada bungkus rokok adalah mencegah remaja dari kebiasaan merokok. Dengan melihat gambar menakutkan pada PKB, remaja perokok juga diharapkan termotivasi berhenti merokok. Penelitian ini bertujuan untuk mengetahui bagaimana pesan persuasif yang berusaha memunculkan rasa takut berperan dalam proses penerimaan atau penolakan pesan pada siswa yang pernah mendapat intervensi program berhenti merokok bernama Not on Tobacco (NOT) dengan yang belum pernah mendapatkannya. Penelitian ini adalah penelitian kualitatif dengan desain Rapid Assessment Procedures (RAP). Metode yang digunakan dalam pengumpulan data adalah wawancara mendalam. Hasil penelitian menunjukkan siswa yang mendapat intervensi program berhenti merokok memiliki keyakinan diri yang lebih tinggi untuk dapat mengurangi konsumsi rokok atau berhenti merokok dengan mudah dibandingkan siswa yang tidak mendapat intervensi. Mereka yang mendapat intervensi juga menunjukkan penerimaan pesan paling baik. Hal ini terlihat dari perubahan niat, sikap, dan perilaku informan ke arah yang positif, berkaitan dengan perilaku merokok. Sementara itu, siswa yang tidak mendapat intervensi menunjukkan penolakan pesan akibat tidak dapat mengendalikan rasa takut. Hal ini tercermin dari perilaku siswa yang menghindari melihat PKB. Guna meningkatkan keyakinan perokok remaja untuk berhenti merokok, perlu ditambahkan informasi rekomendasi berhenti merokok pada PKB putaran kedua.

.....The purpose of Pictorial Health Warning (PHW) on cigarette packs is preventing teenagers from smoking. By looking at the scary images on PHW, teenager smokers were also expected to feel motivated on quit smoking. This research was aimed to find out how fear appeal took a role in a process of acceptance or rejection the message among student who had received intervention of smoking cessation program called Not on Tobacco (NOT) with student who has never got it. This research was a qualitative research with Rapid Assessment Procedures (RAP) design. The method used in data collection was in-depth interview. Results showed that students who received intervention had higher self of confidence to be able to reduce cigarette consumption or quit smoking easily than students who didn't receive the intervention. Those who received the intervention also showed a good acceptance of the message on PHW. This can be seen from intention, attitude, and behavior's change in a positive way, related to smoke behavior. Meanwhile, students who didn't receive the intervention showed rejection of the message because they couldn't control the fear that aroused. This can be seen by student's behavior which try to avoid saw the PHW. In order to increase teenager smoker's efficacy to quit smoking, need to be added information about smoking cessation in a second round of PHW.