

Hubungan tingkat pengetahuan low back pain LBP dengan keluhan LBP pada perawat pelaksana di ruang rawat inap RSUP Fatmawati = Correlation between level of low back pain LBP knowledge and LBP complaint among nurses in inpatient ward Fatmawati Hospital

Aris Nur Ramdhani, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20413820&lokasi=lokal>

Abstrak

ABSTRAK

Pengetahuan perawat yang baik terkait LBP merupakan salah satu cara untuk mencegah terjadinya keluhan LBP. Penelitian ini bertujuan untuk mengetahui hubungan antara tingkat pengetahuan LBP dengan keluhan LBP pada perawat pelaksana di RSUP Fatmawati menggunakan instrumen pengetahuan LBP dan skala Nordic. Penelitian ini merupakan penelitian analitik dengan menggunakan metode cross sectional terhadap 107 responden melalui teknik simple random sampling. Analisis data menggunakan uji distribusi frekuensi dan Chi square. Hasil penelitian menunjukkan tingkat pengetahuan perawat yang masih kurang terkait LBP sebanyak 49 responden (45,8%) dan memiliki keluhan LBP sebesar 63 (58,9%) serta adanya hubungan yang signifikan antara tingkat pengetahuan dengan keluhan LBP (p value= 0,04). Pengetahuan perawat terkait LBP harus ditingkatkan agar resiko keluhan LBP dapat diturunkan. Perlunya pengembangan instrumen pengetahuan yang lebih baku agar dapat digunakan secara luas.

ABSTRACT

Good LBP knowledge of nurses is one way to prevent LBP complaint. The objective of this study is to evaluate correlation between the LBP knowledge and LBP complaint among nurses in inpatient ward in Fatmawati Hospital using ?specific knowledge of LBP instrument? and Nordic scale. This study is analytical study. A cross-sectional survey with simple random sampling method was used to 107 nurses in Fatmawati Hospital. The result were presented with use of simple frequency and presentage (%) and Chi square (X²) to determine correlation between variables. This study showed forty nine respondents (45,8%) have poor knowledge of LBP and sixty three respondents (58,9%) have complaint of LBP. It was also correlated between LBP knowledge and LBP complaint (p value= 0,04). Nurses knowledge about LBP must be improved in order to decrease the risk of LBP complaint. It's a necessary to develop standardized knowledge instrument that can be used widely.