

Tren tatalaksana kanker prostat lokal lanjut di Indonesia = Trends of locally advanced prostate cancer managements in Indonesia

Gampo Alam Irdam, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20414158&lokasi=lokal>

Abstrak

Tujuan: Mengevaluasi tren tatalaksana kanker prostat stage T3 berdasarkan faktor faktor yang mempengaruhi.

Material dan Metode: Studi retrospektif tatalaksana kanker prostat stage T3 di Rumah Sakit Cipto Mangunkusumo dan Rumah Sakit Kanker Dharmais periode 1995 2013. Data tren pemilihan terapi antara radioterapi atau terapi hormonal dianalisis berdasarkan kelompok tahun terapi kadar PSA grade tumor dan kelompok usia.

Hasil: Dari 50 subjek 25 50 23 46 and 2 4 subjek mendapatkan tatalaksana radioterapi terapi hormonal dan prostatektomi radikal secara berturutan. Perubahan tren pemilihan terapi berdasarkan tahun terapi secara statistik signifikan p 0 012 dengan mengeksklusikan kelompok periode terapi 1995 1999. Terapi hormonal lebih menjadi pilihan untuk kelompok tumor high grade 53 8 dan lebih sering dipilih seiring bertambahnya usia pasien Kadar PSA tidak mempengaruhi tren pemilihan terapi.

Kesimpulan: Terdapat perubahan yang bermakna dalam pemilihan terapi kanker prostat stage T3 berdasarkan tahun terapi Terapi hormonal lebih menjadi pilihan pada kasus dengan tumor high grade dan kelompok usia yang semakin tua.

.....Objective: To evaluate treatment trend of stage T3 prostate cancer based on several factors.

Materials and Methods: A retrospective study was done on stage T3 prostate cancer patients from year 1995 2013 at two national referral hospitals in Indonesia. Treatment trends between hormonal therapy and radiotherapy based on year of treatment PSA level tumor grade and age groups were evaluated.

Results: On 50 patients subjects 25 50 23 46 and 2 4 subjects were treated by radiotherapy hormonal therapy and radical prostatectomy respectively. Year of treatment were significantly associated with treatment selection p 0 012 after excluding year of treatment 1995 1999 group. Hormonal therapy was preferred on high grade tumor group 53 8 and more applied for older patients. Treatment trend was not affected by PSA level.

Conclusion: Year of treatment were significantly associated with treatment selection of stage T3 prostate cancer Hormonal therapy was preferred on high grade tumor group and older age groups.