

Hubungan antara status sosial ekonomi dengan perilaku hidup sehat pada ibu hamil preeklampsia = The correlation between socio economic status and healthy lifestyle behaviors of pregnant women with preeclampsia / Ratnawati

Ratnawati, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20423450&lokasi=lokal>

Abstrak

ABSTRAK

Pengendalian risiko preeklampsia dapat dilakukan dengan modifikasi terhadap perilaku hidup sehat sesuai status sosial ekonomi. Penelitian ini dilakukan untuk mengetahui hubungan antara status sosial ekonomi dengan perilaku hidup sehat pada ibu preeklampsia. Penelitian deskriptif korelasi ini meneliti 107 ibu preeklampsia di ruang postpartum. Pengambilan data dengan kuesioner terbimbing dengan analisis Chi square. Ibu preeklampsia mayoritas memiliki status sosial ekonomi menengah ke bawah (77,6%) dengan perilaku hidup tidak sehat 60,7%. Terdapat hubungan antara status sosial ekonomi dengan perilaku hidup sehat (p value = 0,00). Hubungan antara status sosial ekonomi dan perilaku hidup sehat dipengaruhi oleh usia, kegemukan dan paritas (OR = 5,53, IK 95% = 1,87-16,38). Pelayanan kesehatan perlu memperhatikan status sosial ekonomi dan perilaku hidup sehat secara umum dalam melakukan perawatan ibu hamil dan melakukan deteksi dini preeklampsia pada ibu hamil primipara, berusia lebih dari 35 tahun dan mengalami kegemukan.

<i>ABSTRACT</i>

The risk of preeclampsia can be controlled by modifying the healthy lifestyle behaviors appropriate to the socio-economic status. This study aimed to determine the correlation between socio-economic status and healthy lifestyle behaviors of preeclampsia mothers. This descriptive correlational research examined 107 preeclampsia mothers in the postpartum ward. Data were collected using a guided questionnaire and analyzed by Chi-square analysis. The majority of preeclampsia mothers have middle to lower socioeconomic status (77.6%) with unhealthy lifestyle 60.7%. There was a correlation between socio-economic status and healthy lifestyle behaviors (p value = 0.00). The correlation between socioeconomic status and healthy lifestyle behaviors was influenced by age, obesity, and parity (OR = 5.53, 95% CI = 1.87-16.38). Health services need to consider the general socio-economic status and healthy lifestyle behaviors in caring pregnant women and performing the early detection of preeclampsia in primiparous pregnant women, over 35 years old and overweight.</i>