

Faktor lingkungan fisik rumah yang berhubungan dengan kejadian pneumonia pada balita di Jawa Timur tahun 2012 = Physical environmental factors of houses associated to pneumonia in children under five years in East Java in 2012

Pipit Ratnasari, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20430747&lokasi=lokal>

Abstrak

ABSTRAK

Pneumonia merupakan penyebab kedua kematian setelah diare, terutama pada balita. Selama beberapa tahun terakhir prevalensi pneumonia balita di Jawa Timur mengalami peningkatan dari 1,06% menjadi 4,2% pada 2013. Tujuan penelitian ini adalah menganalisis faktor lingkungan fisik rumah dan faktor lain diantaranya faktor karakteristik balita dan faktor sosial ekonomi, yang diduga berhubungan dengan kejadian pneumonia pada balita di Jawa Timur tahun 2012. Data penelitian merupakan data sekunder hasil Survei Demografi dan Kesehatan Nasional (SDKI) tahun 2012. Penelitian ini menggunakan desain cross sectional, dengan jumlah sampel sebanyak 2.058 balita umur 0 ? 59 bulan. Analisis data dilakukan dengan analisis univariat dan bivariat menggunakan metode Chi Square. Hasil penelitian ini tidak dapat membuktikan adanya hubungan antara faktor lingkungan fisik rumah maupun faktor lainnya dengan kejadian pneumonia pada balita.

ABSTRACT

Pneumonia is the second leading cause of death after diarrhea in Indonesia, especially in children under five years old. Over the past few years the prevalence of pneumonia in children under five years old in East Java increased from 1,06% to 4,2% in 2013. The purpose of this study was to analyze the physical and environmental factors of houses and other factors such as children characteristic factors and socio economic factors. This research used secondary data from the National Demographic and Health Survey (IDHS) in 2012. This research used cross-sectional design study, with 2.058 total sample of children aged 0-59 months. Data was analyzed using univariate and bivariate analysis using Chi Square method. This research could not prove an association between physical environmental factors of house and other factors with the prevalence of pneumonia in children under five years.;