

Analisis potensi interaksi obat pada peresepan obat antihipertensi di Puskesmas Kecamatan Sukmajaya periode Juni sampai Nopember 2015 = Analysis of potential drug interactions of antihypertensive drugs prescribing at Sukmajaya subdistrict primary health care period June until November 2015

Ayu Rahmawati Hidayat, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20431942&lokasi=lokal>

Abstrak

Hipertensi merupakan penyakit yang sering dijumpai di setiap negara. Peningkatan keparahan hipertensi dan adanya indikasi penyakit lain baik yang terkait ataupun tidak terkait hipertensi membutuhkan terapi obat tambahan untuk mengoptimalkan terapi dan mengurangi efek samping obat. Penggunaan obat dalam jumlah banyak dapat meningkatkan resiko interaksi obat. Tujuan dari penelitian ini, yaitu untuk memperoleh gambaran karakteristik pasien hipertensi, karakteristik resep dan potensi interaksi obat dalam resep yang mengandung obat antihipertensi di Puskesmas Kecamatan Sukmajaya periode Juni-Nopember 2015.

Penelitian ini bersifat deskriptif analitik dan data diambil secara retrospektif.

Hasil analisis dari 350 lembar resep diperoleh persentase pasien perempuan (67,43%) lebih besar dari laki-laki (32,57%) dan prevalensi hipertensi tertinggi terjadi pada usia 55 tahun sebesar 60,57%. Potensi interaksi obat yang dianalisis menggunakan Micromedex memperoleh hasil sebesar 11,1% dan potensi interaksi yang paling sering terjadi adalah kombinasi kaptopril dengan obat golongan AINS. Mekanisme interaksi obat yang banyak terjadi adalah farmakokinetik sebesar 51,06%. Hasil uji Chi-square menunjukan bahwa terdapat hubungan yang bermakna antara jumlah obat dalam resep dengan potensi interaksi, dengan nilai probabilitas sebesar 0.0001 dan nilai odd ratio sebesar 5,940 (15,588-2,263).

.....Hypertension is a common disease in each country. Increase severity of hypertension and presence of other disease whether related or not related of hypertension, require additional drug therapy to optimize therapy and reduce side effect of drugs. The use of drug in large amounts may increase the risk of drug interaction. The purpose of this research was to obtain hypertension patient characteristics, prescription characteristics, and potential drug interactions in prescription that containing antihypertensive drugs in Sukmajaya subsdistrict health center from June to November 2015. This research used descriptive analytic method and data were obtained retrospectively.

The results of analysis in 350 prescriptions was percentage of female patients (67.43%) higher than men (32.57%) and the highest prevalence of hypertension were occured at the age of 55 years. Potential drug interactions result that analyzed using Micromedex was 11.1% and the most frequently potential interaction was combination of captopril with NSAIDs groups. The mechanism of drug interaction that occurs frequently was pharmacokinetics of 51.06%. Chi-square test results showed that there was significant relationship between the number of drug in the prescription with potential interactions with a probability value of 0.0001, and the value of the odds ratio is 5.940 (15.588 to 2.263).