

Hubungan kuantitatif porphyromonas gingivalis pada plak gigi dengan status periodontal penderita penyakit jantung koroner = Relationship between quantitative measurement of porphyromonas gingivalis on dental plaque and periodontal status of patients with coronary heart disease

Stephani Dwiyantri I., author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20435169&lokasi=lokal>

Abstrak

Latar Belakang: Porphyromonas gingivalis adalah salah satu bakteri penyebab utama periodontitis kronis. Infeksi kronis merupakan salah satu faktor risiko penyakit jantung koroner, yaitu penyempitan arteri jantung karena tumpukan plak.

Tujuan: menganalisis perbedaan kuantitatif P.gingivalis plak gigi serta hubungannya dengan status periodontal PJK dan non PJK.

Metode: 66 pasien PJK dan 40 non PJK dilakukan pemeriksaan status periodontal dan plak subgingiva untuk diketahui kuantitatif P.gingivalis dengan real-time PCR.

Hasil: Terdapat perbedaan bermakna pada kuantitatif P. gingivalis penderita PJK dibandingkan dengan non PJK. Pada PJK terdapat hubungan antara kuantifikasi P.gingivalis dengan kedalaman poket.

Kesimpulan: Kuantitatif P.gingivalis penderita PJK lebih tinggi dibandingkan non PJK. Pada penderita PJK terdapat hubungan kuantitatif P.gingivalis dengan kedalaman poket.

.....Background: Porphyromonas gingivalis is one of the bacterias that causes chronic periodontitis. Chronic infection is a risk factor for coronary heart disease, a narrowing of coronary artery due to plaque build-up.

Objective: to analyse quantitative difference of P.gingivalis on dental plaque and its relationship with periodontal status of CHD patient and control.

Methods: Periodontal status of 66 CHD patient and 40 control was checked. Subgingival plaque was isolated and P.gingivalis was measured using real-time PCR.

Result: There was significant difference between P.gingivalis of CHD and non CHD patients. There was relationship between P.gingivalis and pocket depth of CHD patient.

Conclusion: Quantity of P.gingivalis in CHD patients is higher than non CHD patients. There was relationship between quantity of P.gingivalis and pocket depth of CHD patients.