

Penerapan resfeed-play sebagai bentuk intervensi keperawatan komunitas pada anak usia 6-24 bulan dengan gizi kurang di kelurahan Srengseng Sawah. = The Application of resfeed-play as a form of community nursing intervention in children aged 6-24 month with nutrition problem in Srengseng Sawah village

Dwi Cahya Rahmadiyah, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20435200&lokasi=lokal>

Abstrak

Balita merupakan kelompok resiko yang mudah terkena masalah kesehatan diantaranya masalah pertumbuhan yaitu gizi kurang. Pemberian nutrisi pada balita usia 6-24 bulan yang sesuai dapat meningkatkan pertumbuhan. Pemberian MPASI pada balita usia 6-24 bulan dapat dilakukan dengan cara pemberian makan aktif/responsif yang dikombinasikan dengan metode bermain sesuai dengan tahap usia balita. Karya Ilmiah akhir ini bertujuan untuk memberikan gambaran pelaksanaan intervensi Resfeed-Play sebagai bentuk intervensi keperawatan komunitas pada balita usia 6-24 bulan dengan gizi kurang Di Kelurahan Srengseng Sawah. Pelaksanaan intervensi Resfeed-Play dilakukan di keluarga dan di masyarakat dalam kegiatan pos gizi.

Hasil evaluasi kegiatan Resfeed-Play adalah terjadi peningkatan pengetahuan sebesar 24,2%, sikap 30.3% dan keterampilan sebesar 42.4% Ibu balita. Setelah dilakukan intervensi selama 6 bulan, rerata kenaikan berat badan balita sebesar 0.95Kg. Setelah dilakukan analisis lebih lanjut kenaikan berat badan tersebut signifikan dengan nilai P 0.000 ($P < 0.05$). Intervensi Resfeed-Play dapat meningkatkan berat badan balita dan menangani masalah gizi kurang pada balita. Berdasarkan hasil kegiatan ini maka direkomendasikan untuk meningkatkan pemberdayaan masyarakat melalui kegiatan-kegiatan yang positif seperti pos gizi agar dapat mencegah dan mengatasi masalah gizi kurang pada balita.

.....

Toddlers are an at risk group prone to health problems including growth problems, one of which is malnutrition. Adequate nutrition in infants aged 6-24 months can promote the growth. Giving solid foods in infants aged 6-24 months can be done by feeding the active / responsive combined with the method according to the stage of playing toddlers. This paper aimed to provide an overview of the intervention of Resfeed-Play as a form of community nursing intervention on children aged 6-24 months with malnutrition In Srengseng Sawah village. Implementation of the intervention Resfeed-Play performed in families and in society in nutrition post activities.

The results of evaluation of Resfeed-Play is shown an increase in knowledge 24.2%, attitude and skills by 30.3% and 42.4% respectively. After intervention of 6 months, the mean of weight gain toddler was 0.95Kg. After further analysis the weight gain is significant with a P value of 0.000 ($P < 0.05$). Resfeed intervention-Play can increase body weight toddlers and can address the problems of malnutrition in children under five. Based on the results of this activity it is recommended to increase community empowerment through positive activities such as nutrition post in order to prevent and mitigate the problem of malnutrition in children under five.