

Hubungan Tingkatan Desa Siaga Dengan Angka Kematian Bayi di Kabupaten Blitar Jawa Timur Tahun 2010 = The Relationship between Level of ?Desa Siaga? and Infant Mortality Ratio In Blitar District, East Java in 2010 / Etti Suryani

Etti Suryani, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20440624&lokasi=lokal>

Abstrak

ABSTRAK

Salah satu indikator derajat kesehatan adalah angka kematian bayi (AKB). Saat ini AKB nasional adalah 34 kematian per 1.000 kelahiran hidup (SDKI 2007). Berbagai upaya dilakukan Pemerintah untuk menurunkan Angka Kematian Bayi diantaranya program Desa Siaga. Penelitian ini adalah penelitian analitik non eksperiment dengan rancangan Cross sectional. Penelitian ini menganalisis hubungan tingkatan Desa Siaga dengan Angka kematian bayi di Kabupaten Blitar, Jawa Timur pada tahun 2010. Populasi penelitian ini adalah seluruh desa yang ada di kabupaten Blitar dengan total sampel berjumlah 248 desa dan dianalisis dengan uji T-Independent. Hasil penelitian menunjukkan tidak ada perbedaan yang bermakna rata-rata kematian bayi antar Tingkatan Desa Siaga. Dengan demikian disimpulkan bahwa tidak ada hubungan antara tingkatan Desa Siaga dengan Angka Kematian Bayi. Hal ini disebabkan karena banyak faktor yang menyebabkan tinggi atau rendahnya Angka Kematian bayi (AKB).

<hr>

ABSTRACT

One indicator of healthy level is the Infant Mortality Ratio (IMR). Currently, the national IMR was 34 deaths per 1,000 live births (SDKI 2007). There are many government efforts to reduce infant mortality, one of them is ?Desa Siaga? program. To determine the correlation of ?Desa Siaga? and Infant Mortality Ratio, We conducted research by analyzing the level of ?Desa Siaga? and Infant Mortality Ratio In Blitar, East Java in 2010. The population of this study are all villages in Blitar district total sample are 248 villages and analyzed by the Independent T-Test. This research is an analytic non experiment with cross sectional design. The results showed that there was no significant difference in average infant mortality among level of ?Desa Siaga.? Thus concluded that there was no relationship between levels of ?desa siaga? with Infant Mortality. This is caused by many factors that cause high or low Infant Mortality Ratio (IMR).