

## Proceedings of the national electronics conference, volume VII

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20448421&lokasi=lokal>

---

### Abstrak

#### CONTENTS :

- OFFICIALS AND COMMITTEE PERSONNEL
- FOREWORD
- PROGRAM OF THE SEVENTH NATIONAL ELECTRONICS CONFERENCE
- ELECTRONICS FOR DEFENSE
- A TRANSIENT APPROACH TO THE SOLUTION OF A LINEAR SERVOMECHANISM BY AN EQUIVALENT NETWORK
- STABILIZATION OF VARIABLE CARRIER FREQUENCY SERVOMECHANISMS
- DESIGN OF DAMPER-STABILIZED INSTRUMENT SERVOMECHANISMS
- OPTIMUM SIGNAL CHARACTERISTICS FOR DISTANCE MEASUREMENT BY ECHOES
- FREQUENCY CONTROL OF MODULATED MAGNETRONS BY RESONANT INJECTION SYSTEM
- THE EFFECT OF LONG TRANSMISSION LINES ON KLYSTRON OSCILLATORS
- ANALYSIS OF MODULATED ELECTRON BEAMS
- A HIGH-VOLTAGE ELECTRON-TRAP RECTIFIER
- PULSES AND TRANSIENTS IN SYSTEM ANALYSIS
- THE AUTO-CORRELATION FUNCTION FROM THE ERGODIC HYPOTHESIS
- APPLICATION OF THE ERGODIC HYPOTHESIS IN CALCULATING THE AUTO-CORRELATION FUNCTION OF TELETYPE SIGNALS
- A NONLINEAR STATISTICAL FILTER
- HIGH-Q LOW-FREQUENCY RESONANT FILTERS
- A SELECTIVE AUTOMATIC PHONOGRAPH MECHANISM
- HORN-LOADED LOUDSPEAKERS
- AN ELECTRONIC MUSIC BOX
- WEAR OF PHONOGRAPH NEEDLES
- SYNCHRONOUS DETECTION OF AMPLITUDE-MODULATED SIGNALS
- NONLINEAR ELEMENTS AND SOME APPLICATIONS IN AF AND RF CIRCUITS
- SECOND DETECTOR SIGNAL-TO-NOISE IMPROVEMENT
- INPUT VERSUS OUTPUT SIGNAL-TO-NOISE CHARACTERISTICS OF LINEAR, PARABOLIC, AND SEMI-CUBICAL DETECTORS
- A SWEEP FREQUENCY METHOD OF Q MEASUREMENT FOR SINGLE-ENDED RESONATORS
- A RECORDING BROADBAND WAVEGUIDE REFLECTOMETER
- MEASUREMENT OF THE RELATIONSHIP BETWEEN BASEBAND AND RADIO-

## FREQUENCY AMPLITUDES IN FM SYSTEMS

- CHARTS FOR COAXIAL LINE PROBE MEASUREMENTS
- INTRODUCTORY REMARKS
- A HIGH-PRECISION ANALOG-TO-DIGITAL CONVERTER
- A PRECISE ELECTRONIC FUNCTION GENERATOR
- PHOTOFORMER DESIGN AND PERFORMANCE
- BASIC OPERATING PRINCIPLES OF MAGNETIC AMPLIFIERS
- THE CONTROL OF A 65-WATT TWO-PHASE SERVOMOTOR WITH A MAGNETIC AMPLIFIER
- VOLTAGE REGULATOR WITH MAGNETIC AMPLIFIERS FOR LARGE ALTERNATORS
- LOW INPUT-POWER LEVEL MAGNETIC AMPLIFIERS
- SOLATION METERING OF D-C BUS CURRENTS
- GRAPHICAL ANALYSIS FOR CIRCUITS CONTAINING OVERDRIVEN VACUUM TUBES
- THE EFFECT OF NOISE ON THE FREQUENCY STABILITY OF A LINEAR OSCILLATOR
- A SIMPLIFIED METHOD FOR MEASURING THE ATTENUATION OF BALANCED TRANSMISSION LINES
- NARROW-BAND SPECTRUM ANALYSIS OF A PULSE-POSITION-MODULATED SIGNAL
- SOME RECENT DEVELOPMENTS IN TRAVELING-WAVE TUBES FOR COMMUNICATION PURPOSES
- HIGH-TRANSCONDUCTANCE TUBES FOR BROAD-BAND TELEPHONE SYSTEM USES
- LOW NOISE TRAVELING-WAVE TUBE
- TRANSMISSION-LINE TUBES
- THE USE OF SEMI-CONDUCTORS AS DETECTORS OF X RADIATION
- HIGH-SPEED INSPECTION OF CANNED AND PACKAGED PRODUCTS USING SOLID X-RAY DETECTORS
- WIDTH GAGE FOR HOT STRIP ROLLING MILLS
- AN ECONOMICAL SYNC CLIPPER OF UNUSUAL NOISE IMMUNITY
- A SUMMARY OF RECENT ADVANCES IN "DOT-SEQUENTIAL" COLOR TV SYSTEMS
- A CONSTANT INPUT IMPEDANCE SECOND DETECTOR FOR TELEVISION RECEIVERS
- THEORY AND OPERATION OF THE ELECTROSTEREOSCOPE
- MULTI-STABLE MAGNETIC MEMORY SYSTEMS
- PERFORMANCE OF ULTRASONIC VITREOUS SILICA DELAY LINES
- AN ANALOGUE ELECTRONIC CORRELATOR
- FOUR-RANGE X-RAY ROENTGEN RATEMETER
- A PRACTICAL ELECTROCARDIOCOMPTOMETER

- SENSITIVITY OF THE HUMAN AND OTHER VERTEBRATE SENSES
- A MAGNETIC RECORDER FOR MEDICAL APPLICATION
- A SWEEP-FREQUENCY OSCILLATOR FOR THE UHF TELEVISION BAND
- ULTRA-HIGH-FREQUENCY TELEVISION MONITOR
- PERFORMANCE OF THE VIDICON, A SMALL DEVELOPMENTAL TELEVISION CAMERA TUBE
- RESPONSE OF A LINEAR NETWORK TO AN INPUT WITH LINEARLY VARIABLE FREQUENCY AS OBTAINED IN SWEEP FREQUENCY TESTING
- THE MOTION OF A TAUT RIBBON DEFLECTED ELECTROSTATICALLY
- CORRELATION OF TEMPERATURE AND ELECTRIC FIELDS IN A MATERIAL UNDERGOING DIELECTRIC HEATING
- INSTRUMENTATION OF THE FREE-AIR SUPERSONIC AERODYNAMIC TEST FACILITY
- AN INDUCTION HEATING VACUUM FURNACE WITH AUTOMATIC TEMPERATURE SELECTION AND CONTROL
- RULES OF SIMILITUDE FOR MAGNETIC AMPLIFIER SYSTEMS
- THE APPLICATION OF A 60-CYCLE MAGNETIC AMPLIFIER TO A POSITION INDICATING SERVOMECHANISM
- A MAGNETIC AMPLIFIER OF HIGH INPUT IMPEDANCE
- USE OF THE FLUX-CHARGE CONCEPT IN MAGNETIC AMPLIFIER ANALYSIS
- SHAPING OF NON-LINEAR RESISTOR CHARACTERISTICS
- NEW DEVELOPMENTS IN THE AUTO-SEMBLY TECHNIQUE OF CIRCUIT FABRICATION
- TECHNIQUES IN THE MEASUREMENT OF SEVERAL COMPONENTS
- HIGH TEMPERATURE OPERATION OF METALLIZED PAPER CAPACITORS
- SHUNT CONDUCTANCE OF A WAVEGUIDE-FED SLOT
- THE RADIATION RESISTANCE OF A SMALL HORIZONTAL LOOP ANTENNA OVER A CONDUCTING PLANE
- AN IONIZED GAS ENERGY DETECTOR FOR MICROWAVES
- ELECTROMAGNETIC PROPAGATION IN TWO-DIELECTRIC-LAYERED PARALLEL-PLANE WAVEGUIDES
- APPENDIX I: CATALOGUE OF EXHIBITORS