

Variasi cakupan jaminan persalinan di kabupaten bogor 2011

Ajeng Tias Endarti, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20450442&lokasi=lokal>

Abstrak

Program Jaminan Persalinan (Jampersal) dirancang untuk meningkatkan akses ibu hamil pada fasilitas pelayanan kesehatan yang pada gilirannya berkontribusi terhadap penurunan kematian ibu. Artikel ini bertujuan menilai cakupan Jampersal di Kabupaten Bogor, Provinsi Jawa Barat dengan menggunakan sumber data sekunder yaitu profil kesehatan dan laporan kesehatan ibu dan anak (KIA) Dinas Kesehatan Kabupaten Bogor tahun 2011. Cakupan Program Jaminan Persalinan yang meliputi pelayanan antenatal care (ANC), persalinan, dan pascapersalinan berada pada kisaran 2,67% - 12,56%, dengan cakupan tertinggi pelayanan persalinan (12,56%). Berdasarkan uji analysis of variance (ANOVA) ditemukan perbedaan yang bermakna antara cakupan di wilayah pembangunan barat (25,05%), tengah (9,43%), dan timur (11,08%) (nilai $p = 0,012$). Uji multiple comparison menunjukkan perbedaan rata-rata cakupan Jaminan Persalinan di wilayah barat dan wilayah tengah yang bermakna ($p = 0,011$; IK 95% = 3,12 - 29,60). Perbedaan tersebut kemungkinan disebabkan oleh perbedaan intensitas sosialisasi program oleh petugas kesehatan dan elemen masyarakat. Sosialisasi meningkatkan pengenalan sasaran terhadap program tersebut, khususnya kelompok miskin. Perbedaan cakupan Jampersal dapat juga disebabkan oleh perbedaan cakupan jaminan kesehatan yang lain. Masyarakat yang sudah mempunyai jaminan kesehatan menjadi tidak berhak untuk mengikuti program Jampersal. Direkomendasikan untuk melakukan sosialisasi Jampersal yang difokuskan pada kelompok sasaran kategori miskin yang belum mempunyai jaminan kesehatan.

.....Delivery insurance (Jampersal) was designed to increase pregnant woman to access health care facility that contributed to reduce maternal death. The study aimed to describe Jampersal coverage for delivery. It utilized Bogor District health profile and maternal and child health report 2011. Coverage of Jampersal was about 2,67 - 12,56%, for antenatal care, delivery care, and postnatal care, the highest coverage was for delivery (12,56%). Analysis of variance test showed the significance among the coverage in west (25,05%), central (9,43%), and east (11,08%) area ($p = 0,012$). Multiple comparison analysis then showed that difference coverage was significance between west and central area ($p = 0,011$; 95% CI = 3,12 - 29,60). Different coverage might be associated with the intensity of Jampersal promotion done by both health workers and communities. Promotion will be essential for the success of program due to its ability to increase the community recognition, particularly for lower socioeconomic group, to Jampersal. It also might be influenced by discrepancy of other health insurances coverage. Those who already had health insurance would not be eligible for Jampersal. It is recommended to increase the Jampersal promotion focused to the poor groups that have not been covered by any other health insurance.