

Korelasi Antara Kadar Vitamin D Serum dengan Lingkar Pinggang dan Kadar Trigliserida Serum pada Penyandang Obesitas = Correlation between Serum Vitamin D Levels with Waist Circumference and Serum Triglyceride Levels in Obese Individuals.

Feni Nugraha, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20455094&lokasi=lokal>

Abstrak

ABSTRAK

Obesitas merupakan masalah global dengan prevalensi yang semakin meningkat dari tahun ke tahun. Obesitas merupakan salah satu faktor risiko terjadinya defisiensi vitamin D. Hal ini disebabkan karena meningkatnya simpanan vitamin D di jaringan adiposa, yang dapat diperburuk dengan kurangnya pajanan sinar matahari dan asupan vitamin D inadekuat. Defisiensi vitamin D berhubungan dengan resistensi insulin dan dapat meningkatkan risiko terjadinya sindrom metabolik. Peningkatan lingkar pinggang LP dan peningkatan kadar trigliserida TG serum atau hypertriglyceridemic waist dapat digunakan sebagai kriteria sederhana untuk skrining awal identifikasi sindrom metabolik. Penelitian dengan desain potong lintang ini dilakukan di klinik diabetes Rumah Sakit MRCCC Siloam Semanggi, Jakarta, yang bertujuan untuk mengetahui korelasi antara kadar vitamin D serum dengan LP dan kadar TG serum pada penyandang obesitas berusia >18-

<hr>

ABSTRACT

Obesity has reached epidemic proportions globally, with increasing prevalence in recent years. Obesity is one of the risk factors in vitamin D deficiency. The low levels of serum vitamin D in obesity has been attributed to multiple factors like excessive storage of vitamin D in the adipose tissue, decreased exposure to sunlight and an inadequate vitamin D intake. Vitamin D deficiency is associated with insulin resistance and increases the risk of developing metabolic syndrome. Increased waist circumference WC and elevated serum triglyceride TG levels or hypertriglyceridemic waist can be used as a simple clinical phenotype for early screening to identify patients with metabolic syndrome. This cross sectional study was conducted at the Diabetes Clinic of MRCCC Siloam Semanggi Hospital, Jakarta, which aims to determine correlation between serum vitamin D levels with WC and serum TG levels in obese individuals aged 18 years to