

Perbedaan pengaruh pemberian permen karet xylitol dan mouthwash terhadap xerostomia pada pasien gagal ginjal kronis = The deferences of xylitol chewing gum and mouthwash on xerostomia in chronic renal failure patients

Hendra Adi Prasetya, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20455400&lokasi=lokal>

Abstrak

ABSTRAK

Xerostomia sering dialami pasien Gagal Ginjal Kronis. Masalah ini akan berdampak pada meningkatnya sensasi haus sehingga mempengaruhi pasien untuk meningkatkan asupan cairan yang menyebabkan peningkatan Interdialytic Weight Gain dan berujung pada penurunan Quality of Life pasien. Penelitian ini bertujuan mengetahui perbedaan pengaruh permen karet xylitol dan mouthwash terhadap xerostomia pada pasien gagal ginjal kronis. Desain yang digunakan adalah quasi eksperimen dengan melibatkan 30 orang responden yang dipilih dengan teknik consecutive sampling dan dibagi dalam dua kelompok. Hasil uji General Linear Model menunjukkan tidak ada perbedaan dalam empat pengukuran xerostomia pada kedua kelompok intervensi dengan $p\text{-value} > 0,05$. Disimpulkan bahwa penggunaan permen karet xylitol dan mouthwash memiliki efek yang sama dalam menurunkan keluhan xerostomia pasien gagal ginjal kronis. Hasil penelitian ini dapat direkomendasikan untuk diterapkan sebagai upaya mengatasi xerostomia pada pasien gagal ginjal kronis.

<hr>

ABSTRACT

Xerostomia is often experienced by patients with Chronic Renal Failure. This problem will have an impact on increasing thirst sensations that affect the patient to increase fluid intake that leads to an increase Interdialytic Weight Gain and lead to decreased Quality of Life patients. The aim of this research was to know the effect of chewing gum xylitol and mouthwash on xerostomia in chronic renal failure patients. The design was quasi experiment involving 30 respondents selected by consecutive sampling technique and divided into two groups. The results of General Linear Model test showed there was no differences in the four xerostomia measurements in both intervention groups with $p\text{-value} > 0.05$. The conclusion of this research was xylitol chewing gum and mouthwash had same effect to reduce xerostomia in patients with chronic renal failure. The results of this study can be recommended to be applied as an intervention to resolve xerostomia in chronic renal failure patients.