

# Pengalaman perawat dalam pemantauan dan penanganan hipoglikemia pada pasien diabetes melitus = Nurses experience in monitoring and handling of hypoglycemia in hospitalized patients with diabetes mellitus

Yunisman Roni, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20455729&lokasi=lokal>

---

## Abstrak

### <b>ABSTRAK</b><br>

Hipoglikemia bisa terjadi selama pasien dirawat di rumah sakit yang disebabkan oleh iatrogenic. Tujuan penelitian ini untuk mengeksplor pengalaman perawat dalam pemantauan, penanganan dan penggunaan protokol hipoglikemia di rumah sakit. Penelitian ini dilakukan dengan wawancara mendalam pada 10 perawat tentang pengalaman mereka dalam pemantauan, penanganan, dan penggunaan protokol hipoglikemi, sehingga memperoleh enam tema yakni: perawat memahami hipoglikemia berdasarkan gejala fisik dan nilai gula darah; kecemasan perawat menghadapi hipoglikemi; ketidakberadaan dokter dan hambatan komunikasi dalam penanganan hipoglikemi; perawat melakukan pemeriksaan gula darah dan keluhan pasien untuk mengkaji hipoglikemia; memutuskan untuk melakukan tindakan medis secara mandiri sesuai kebiasaan; dan merasa tidak familiar dengan keberadaan protocol hipoglikemia. Kesimpulan dari penelitian menunjukkan bahwa dalam penanganan hipoglikemia perawat masih mengalami kecemasan dan cenderung memberikan intervensi sesuai dengan kebiasaan.

<hr>

### <b>ABSTRACT</b><br>

Patients may experience hypoglycemia during hospitalization which is caused by Iatrogenic. This study aimed to describe experience of nurses in monitoring, treating and using guideline of Hypoglycemia in patients with diabetes mellitus. An indepth interview was conducted that involved 10 nurses. There were six themes identified through this method, they were nurses anxiety facing hypoglycemia the absence of physician and communication barriers in the treatment of hypoglycemia nurses undertaking blood glucose check and complains of patients in monitoring hypoglycemia deciding to follow medical treatment independently based on routine and found unfamiliar with the existence of protocol. The conclusion indicates that nurses are still struggling with anxiety and tend to apply their routine in dealing with hypoglycemia.