

Hubungan komplikasi kehamilan dengan kematian perinatal di Indonesia tahun 2007-2014 analisis data ifls v 2014 = The relationship between pregnancy complications with perinatal mortality in Indonesia in 2007 2014 data anaysis of indonesia family life survey v years 2014

Rosa Nora Lina, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20456039&lokasi=lokal>

---

Abstrak

**ABSTRAK**

WHO melaporkan bahwa setiap hari lebih dari 7.200 bayi lahir mati dan memperkirakan lebih dari 9 juta bayi meninggal sebelum lahir atau pada minggu pertama kehidupannya periode perinatal . Penurunan angka kematian perinatal ini sangat ditentukan oleh penatalaksanaan kesehatan ibu pada saat kehamilan, menjelang persalinan dan setelah persalinan. Salah satu upaya dalam menurunkan angka kematian perinatal adalah dengan upaya menurunkan angka komplikasi kehamilan. Penelitian ini bertujuan mengetahui hubungan komplikasi kehamilan dengan kematian perinatal di Indonesia tahun 2007-2014 dengan menggunakan data sekunder IFLS V 2014. Desain studi dalam penelitian ini menggunakan cross sectional. Populasi pada penelitian ini adalah bayi yang lahir hidup dan bayi yang mengalami kematian selama periode perinatal yang merupakan anak terakhir pada persalinan tunggal dengan total 2.245 responden. Hasil analisis multivariat menunjukkan ibu dengan komplikasi kehamilan dan memiliki riwayat kematian perinatal dengan nilai OR 7,85. Ibu dengan tidak komplikasi kehamilan dan memiliki riwayat kematian perinatal berisiko untuk mengalami kematian perinatal dengan nilai OR 10,66. Pada penelitian ini dapat disimpulkan bahwa riwayat kematian perinatal mempunyai peranan yang sangat besar pada kematian perinatal. Diharapkan pemerintah dalam penguatan buku kesehatan ibu dan anak Buku KIA .Kata kunci:Komplikasi Kehamilan, Kematian Perinatal, IFLS 5 2014.

---

**ABSTRACT**

WHO reported that everyday more than 7,200 babies are stillbirth and estimated more than 9 million die before birth or in the first week of life perinatal period . Decrease in this perinatal mortality is largely determined by the management of maternal health at the time of pregnancy, before labor and after delivery. One effort to reduce perinatal mortality is by reducing the rate of pregnancy complications. This study aims to determine the relationship of pregnancy complications with perinatal mortality in Indonesia in 2007 2014 using IFLS V 2014 secondary data. The study design in this study used cross sectional. Population in this study was live birth infants infants who died during the perinatal period and who are also the last child from the single labor with total 2,245 respondents. The results using multivariate analysis with logistic regression and controlled by height variable, perinatal death history, history of ANC visit, smoking habit, birth age and interaction history of perinatal death with pregnancy complication showed that mother with pregnancy complication and history of perinatal death has OR 7.85. While mothers with no complication of pregnancy and had a history of perinatal death at risk of perinatal mortality has OR 10.66. This study showed that the history of perinatal death has an important role in perinatal death. The government is expected to strengthen the application of maternal and child health book KIA Book .Key words Pregnancy Complications, Perinatal Mortality, IFLS 5