

Analisis implementasi asuhan keperawatan dengan pendekatan keperawatan kesehatan masyarakat perkotaan dan tindakan mobilisasi pada pasien dengan lumbar spinal stenosis l4-l5 pasca operasi dekompreksi dan pemasangan tlif di ruangan lantai 1 GPS RSUP Fatmawati = Analysis of implementation of urban health nursing clinical practice in patient with lumbar spinal stenosis l4-l5 post decompression and tlif procedure at 1st floor ward GPS RSUP Fatmawati

Lathifany R W, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20459791&lokasi=lokal>

Abstrak

**ABSTRAK
**

Mobilisasi dini pasca operasi merupakan salah satu intervensi yang penting pada periode pasca operasi yang dapat mempersingkat hari rawat LOS dan mencegah komplikasi post operasi. Namun demikian, mobilisasi pasca operasi merupakan elemen asuhan keperawatan yang kadang terlupakan. Tujuan penulisan adalah untuk menganalisis intervensi program mobilisasi dini pada klien Ny.S 60 tahun dengan lumbar spinal stenosis L4-L5 pasca operasi dekompreksi dan pemasangan TLIF Transforaminal Lumbar Interbody Fusion dengan riwayat hipertensi, obesitas dan foot drop dextra. Intervensi dilakukan selama lima hari perawatan yang meliputi edukasi kesehatan, latihan kekuatan otot, mobilisasi di tempat tidur, hingga mobilisasi jalan dengan menggunakan walker. Hasil pelaksanaan intervensi adalah kemampuan klien dalam mobilisasi meningkat yang ditunjukkan dengan pencapaian 6 dari 8 skor JH-HLM John Hopkins Highest Level of Mobility yaitu klien mampu berjalan lebih dari 10 langkah dalam 5 hari perawatan. Selain itu, kondisi umum klien meningkat yaitu secara fisik meliputi: klien lebih aktif untuk merubah posisi dan bergerak, keluhan nyeri dan kelelahan jarang, mengatakan lebih nyaman dan tubuhnya tidak kaku ; emosional meliputi: mood tampak baik, kecemasan untuk mobilisasi minimal, kooperatif dalam program mobilisasi , dan sosial meliputi: peningkatan tingkat kemandirian klien untuk mobilisasi, keluarga berpartisipasi aktif dalam mendukung dan mendampingi klien dalam program mobilisasi . Hasil analisis menunjukan bahwa intervensi program mobilisasi dini pasca operasi berdampak positif terhadap hasil perawatan pasca operasi klien sehingga perlu menjadi prioritas dalam asuhan keperawatan pasca operasi.

<hr />

**ABSTRACT
**

Early postoperative mobilization is one of the most important interventions in the postoperative period that can shorten length of stay LOS and prevent postoperative complications. However, postoperative mobilization is the most frequently overlooked element of nursing care. The purpose of the writing was to analyze the early mobilization program on the Ny.S 60 years old client with Lumbar L4 L5 spinal stenosis post decompression and TLIF Transforaminal Lumbar Interbody Fusion installation with history of hypertension, obesity, and foot drop dextra. Interventions were performed for five days of care that included health education, muscle strength training, bed mobilization, to out of bed mobilization using walkers. The result of the intervention was client's ability to mobilize has increased which has been shown in the achievement of 6 of 8 JH HLM score John Hopkins Highest Level of Mobility which client can walked more

than 10 steps within 5 days of treatment. Client's general condition also improved which physical aspect including the client were more active to change position and moved, rare to complain pain and tiredness, said more comfortable and her body more relaxed emotional aspect including good mood, minimal anxiety during mobilization, cooperative in mobilization program , social aspect including the level of client independence for mobilization increased, the family actively participated in supporting and assisting clients in the mobilization program . The results of the analysis showed that the intervention of early postoperative mobilization program had a positive impact on client's postoperative outcomes, therefore it needs to be a priority interventions in postoperative nursing care.