

Nilai ambang wicara dengan bising latar words in noise pada pendengaran normal usia 18-60 tahun di Departemen THT-KL RSUPN dr. Cipto Mangunkusumo = Speech threshold value with background noise words in noise in normal hearing age 18-60 years old at ORL HNS Department dr. Cipto Mangunkusumo National General Hospital

Farisa Rizky, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20460672&lokasi=lokal>

Abstrak

Pendengaran merupakan suatu proses yang kompleks dan apabila terganggu dapat berdampak terhadap menurunnya pemahaman wicara. Kesulitan dalam mendengar terutama pada tempat dengan suasana bising merupakan salah satu gangguan yang umum terjadi pada bidang THT. Proses kemampuan mendengar meliputi proses deteksi, diskriminasi, rekognisi, serta komprehensi. Pemeriksaan audiometri tutur dalam suasana yang sepi dapat menggambarkan kemampuan pemahaman atau rekognisi seseorang, namun tidak cukup untuk menggambarkan kemampuan rekognisi sehari-hari yang pada umumnya ada pada suasana bising.

Tesis ini membahas mengenai penilaian ambang wicara yang disertai bising latar yang dapat diketahui dari nilai Speech Recognition Threshold SRT 50 dan Speech Discrimination Score SDS 100 pada orang dengan ambang dengar normal usia 18-60 tahun melalui pemeriksaan audiometri tutur dalam bising. Penelitian ini adalah penelitian studi potong lintang dengan desain deskriptif analitik pada 71 percontoh yang diambil secara berurutan.

Hasil dari penelitian ini didapatkan nilai SRT 50 audiometri tutur dalam bising 67.6 dB SNR -2.4 dB SL dan nilai SDS 100 79.7 dB SNR 9.7 dB SL. Terdapat hubungan yang bermakna antara perbedaan kelompok usia terhadap seluruh hasil audiometri tutur dan audiometri tutur dalam bising. Terjadi peningkatan nilai SRT 50 dan SDS 100 yang signifikan pada kelompok usia 40-60 tahun dibandingkan kelompok usia 18-39 tahun.

<hr><i>Hearing is a complex process and if disturbed, it can affect decrease in speech understanding. Difficulty in hearing especially in places with noisy environment is one of the most common disorders in ENT. The process of listening ability includes the process of detection, discrimination, recognition, and comprehension. Speech audiometric examination in a quiet environment can describe the ability of a person 39 s understanding or recognition, but it is not enough to describe the ability of daily recognition that generally exist in a noisy environment.

This thesis discusses the assessment of speech threshold with background noise which can be known from the value of Speech Recognition Threshold SRT 50 and Speech Discrimination Score SDS 100 in people with normal hearing threshold age 18 60 years old through speech in noise audiometric examination. This study is a cross sectional study with descriptive analytic design on 71 samples taken sequentially.

The results of this study obtained SRT 50 speech in noise audiometric was 67.6 dB SNR 2.4 dB SL and SDS 100 was 79.7 dB SNR 9.7 dB SL. There was a significant correlation between age group differences with all results of speech audiometry and speech in noise audiometry examination. The values of SRT 50 and SDS 100 were significantly increased in the 40 60 years old group compared to the 18 39 years old group.</i>