

# Komposisi crumb rubber pada agregat dan aspal refine buton asphalt (retona) untuk campuran aspal panas terhadap nilai modulus resilience = Crum rubber composition on aggregate and refine buton asphalt (retona) asphalt for heat asphalt mixes on resilience modulus value

Limbong, Renhard Halomoan, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20465828&lokasi=lokal>

---

## Abstrak

Penelitian ini bertujuan untuk dapat mengetahui kinerja mekanis dari Aspal Retona Refine Buton Asphalt , Agregat, dan campuran beraspal Asphalt Concrete Wearing Course AC ndash; WC yang menggunakan bahan modifikasi Crumb Rubber sebanyak 1,9 ; 3,3 ; dan 4,7 dari berat total agregat dan menggantikan gradasi agregat halus saja. Dari semua komposisi modifikasi didapatkan Kadar Aspal Optimum KAO dengan metode Marshall. Pengujian Marshall juga menggunakan metode Immersion untuk mengetahui Indeks Kekuatan Sisa IKS.

Dalam penelitian ini juga mencari Modulus Resilien yang didapatkan dari hasil uji UMATTA Universal Material Testing Apparatus . Hasil terbesar Modulus Resilien didapat dari campuran 0 Crumb Rubber atau tanpa campuran dengan nilai 2805 MPa dengan suhu 250C dan nilai penurunan terbesar akibat Immersion adalah pada komposisi Crumb Rubber 1,9 di suhu 250C dengan penurunan sebesar 32,30.

.....This research is intended to be able to know the mechanical performance of Asphalt Concrete Wearing Course AC WC asphalt Retona Fixed Buton Asphalt , Aggregate and Asphalt Concrete Wearing Course AC WC with 1.9x Crumb Rubber modification 3.3 and 4.7 of the total aggregate weight and fine aggregate gradation. From the all modified composition of Asphalt Optimum KAO with Marshall method. Marshall tests also use Immersion method to find out the Time Strength Index IKS.

The research also look for Resilient Modulus generated from the test results of UMATTA Universal Material Test Equipment . The highest yield of Resilient Modulus was obtained from a mixture of 0 Crumb Rubber or without mixture with a value of 2805 MPa with a temperature of 250C and the highest value due to Immersion was at 1.9 Crumb Rubber composition at a temperature of 250C with a decrease of 32.30.