

Gambaran hasil perawatan alat ortodonti lepas diukur dengan indeks iregularitas little studi pendahuluan pada pasien klinik integrasi RSKGM FKG UI = Description of removable orthodontic appliance treatment outcome measured with little s irregularity index preliminary study on RSKGM FKG UI integration clinic patients

Beattie Rahayu, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20466432&lokasi=lokal>

Abstrak

Kompleksitas maloklusi seperti ketidakteraturan gigi anterior menjadi salah satu hal penting dalam menentukan hasil perawatan dengan alat ortodonti lepas. Indeks iregularitas Little merupakan indeks yang digunakan untuk menilai perubahan susunan gigi anterior.

Tujuan: untuk mengetahui gambaran kompleksitas maloklusi terutama ketidakteraturan gigi anterior dan hasil perawatan dengan alat ortodonti lepas di Klinik Integrasi RSKGM FKG UI menggunakan indeks iregularitas Little.

Metode: Penelitian ini merupakan penelitian deskriptif dengan sampel berupa 47 cetakan model gigi pasien sebelum dan setelah perawatan dengan alat ortodonti lepas di Klinik Integrasi RSKGM FKG UI yang dirawat dalam periode 2013-2017 diukur menggunakan indeks iregularitas Little.

Hasil: Pasien yang paling banyak datang untuk melakukan perawatan dengan alat ortodonti lepas memiliki kondisi ketidakteraturan gigi anterior berupa ketidakteraturan minimal dan ketidakteraturan sedang, setelah dilakukan perawatan terdapat perubahan kondisi gigi anterior pasien menjadi tidak ada ketidakteraturan dan ketidakteraturan minimal serta tidak ditemukan lagi pasien dengan kondisi ketidakteraturan berat.

Kesimpulan: Terdapat perbaikan kondisi gigi anterior pasien pada rahang atas dan rahang bawah setelah dilakukan perawatan dengan alat ortodonti lepas yang dilakukan oleh mahasiswa profesi di Klinik Integrasi RSKGM FKG UI tahun 2013-2017, sehingga perawatan dapat dinyatakan baik dan sesuai dengan indikasi perawatan serta fungsi alat ortodonti lepas.

.....

The complexity of malocclusion such as anterior teeth irregularity had become one of the important things to determine the outcome of removable orthodontic appliance treatment. Little's irregularity index is an index used to assess the change of anterior teeth alignment.

Aim: To determine the complexity of malocclusion especially the irregularity of anterior teeth and the outcome of removable orthodontic appliance treatment at RSKGM FKG UI Integration Clinic patients using the Little's irregularity index.

Method: This study is a descriptive study with a sample of 47 pretreatment and post treatment patient's study model at RSKGM FKG UI Integration Clinic patients which are treated within the period 2013 2017 measured using Little's Irregularity Index.

Result: Most patients who came to seek treatment using a removable orthodontic appliance had an anterior teeth irregularity of minimal and moderate irregularity, and there were changes in anterior teeth region after treatment to no irregularity and minimal irregularity and none of the patients with severe irregularity.

Conclusion: There's improvement of the anterior teeth condition of the patient on the maxilla and mandible jaw after treatment with removable orthodontic appliance performed by clinical students at RSKGM FKG

UI Integration Clinic in 2013 2017, so that the treatment can be stated good and in accordance with the indication of treatment and the function of removable orthodontic appliance.