

# Pengaruh Distorsi Radiograf Sefalometri Lateral Akibat Kemiringan Kepala pada Sumbu Anteroposterior terhadap Distorsi Pengukuran Angular Sefalometri = Effect of Distortion of Lateral Cephalometric Radiographs Due to Head Tilting on Anteroposterior Axis Against Distortion of Cephalometric Angular Measurement

Handita Permata Sari, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20466606&lokasi=lokal>

---

## Abstrak

Latar Belakang: Kesalahan posisi kepala dalam sefalostat saat pembuatan radiografis sefalometri lateral mengakibatkan distorsi pada radiograf yang dihasilkan. Hal ini mempengaruhi pada diagnosis dan rencana perawatan orthodonti pasien.

Tujuan: Mengetahui pengaruh distorsi radiografis sefalometri lateral akibat kemiringan kepala pada sumbu anteroposterior terhadap distorsi pengukuran angular sefalometri lateral.

Metode: Radiografis sefalometri lateral terhadap 7 kranium dengan sudut sebesar 0 , -20 , -15 , -10 , -5 , 5 , 10 , 15 , dan 20 terhadap sumbu anteroposterior. Radiograf dilakukan analisis sefalometri oleh dua orang pengamat. Uji reliabilitas dilakukan dengan uji Bland Altman. Uji kemaknaan dilakukan dengan uji T Berpasangan dan uji Wilcoxon.

Hasil: Terdapat perbedaan bermakna antara pengukuran 8 parameter sudut dengan kemiringan kepala lebih dari 10 p.

*Background: Head position errors in the cephalostate during the lateral cephalometric projection result in radiographic distortion. This may affect the diagnosis and treatment plan of orthodontic patient's.*

*Objective: To discover the effect of lateral cephalometric radiograph distortion due to head tilting on the anteroposterior axis against distortion of lateral cephalometric angular measurements.*

*Methods: Lateral cephalometric radiograph of 7 human dry skulls with tilting angle of 0 , 20 , 15 , 10 , 5 , 5 , 10 , 15 , and 20 to the anteroposterior axis. Radiographs were analyzed by two observers. Reliability test is done by Bland Altman test. The significance test is done by paired T test and Wilcoxon test.*

*Results: There was a significant difference between the measurement of 8 angle parameters with head tilting greater than 10 p*