Measurement of health-related quality of life in patients with functional dyspepsia

Ibnu Fajariyadi Hantoro, author

Deskripsi Lengkap: https://lib.ui.ac.id/detail?id=20470700&lokasi=lokal

Abstrak

In up to 80% of dyspepsia patients who consult a physician in the hospital, dyspepsia is considered to be functional dyspepsia. Although not associated with increased mortality, functional dyspepsia is a burden at both the community and national levels because it can cause physical, mental, and social ditress that can affect a patients quality of life. Health-related quality of life (HRQOL) is a multidimensional construct comprising at least three broad domains-physical, psychological, and social functioning-which can all be affected by a disease and its treatment. It is important to assess HRQOL in patients with functional dyspepsia to identify the effects of the disease and its treatment on patients. Both disease-specific and generic instruments can be used to assess HRQOL in patients with functional dyspepsia. Each instrument has it own advantages and limitations. The selection of instrument to assess HRQOL is determined by the study population, research questions, disease entities, and researcher preferences. The purpose of this article is to explain the concept of HRQOL and the use of HRQOL assessment in patients with functional dyspepsia.

.....Hampir 80% pasien dispepsia yang berobat ke rumah sakit merupakan dispepsia fungsional. Dispepsia fungsional walaupun tidak meningkatkan mortalitas, namun dapat menjadi beban bagi komunitas dan negara, karena menimbulkan gangguan terhadap fisik, mental dan kualitas hidup pasien. Kualitas hidup terkait kesehatan merupakan konstruksi multidimensi yang terdiri dari setidaknya tiga domain yaitu fungsi fisik, psikologis dan sosial yang ketiganya dipengaruhi oleh penyakit dan pengobatan yang diberikan. Penilaian kualitas hidup terkait kesehatan merupakan hal yang penting pada pasien dispepsia fungsional untuk dapat mengidentifikasi dampak dari penyakit dan pengobatan yang diberikan kepada pasien. Instrumen generik dan spesifik penyakit dapat digunakan untuk menilai kualitas hidup terkait kesehatan pada pasien dispepsia fungsional. Masing-masing instrumen memiliki kelebihan dan keterbatasan. Pemilihan instrumen untk menilai kualitas hidup terkait kesehatan ditentukan berdasarkan populasi penelitian, pertanyaan penelitian, entitas penyakit, dan preferensi dari peneliti. Tujuan dari penulisan artikel ini adalah untuk menjelaskan mengenai konsep kualitas hidup terkait kesehatan dan penilaian kualitas hidup terkait kesehatan dan peni