

Analisis hubungan ketidaksesuaian diagnosis terhadap lama hari rawat inap di 5 penyakit infeksi penyebab demam akut terbanyak di rumah sakit kelas A tahun 2013-2016 = Association analysis between misdiagnosis and hospitalization duration of five most communicable diseases causing acute fever in class A hospitals between 2013 and 2016 / Retna Mustika Indah

Retna Mustika Indah, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20476423&lokasi=lokal>

Abstrak

ABSTRAK

Penyakit infeksi masih merupakan masalah kesehatan di Indonesia. Kemampuan rumah sakit dalam menegakkan diagnosis untuk penyakit menular masih terbatas sehingga seringkali memperpanjang lama hari rawat pasien di rumah sakit. Keterbatasan ini seringkali menyebabkan beberapa penyakit infeksi tidak terdiagnosis atau didiagnosis sebagai penyakit lain. Penelitian ini bertujuan untuk melihat hubungan ketidaksesuaian diagnosis pada 5 penyakit infeksi terpilih dengan lama rawat inap. Menggunakan data sekunder, penelitian kuantitatif ini mengamati pasien dengan demam rawat inap di 7 RS Kelas A, dimana diagnosis etiologisnya adalah dengue, salmonella, rickettsia, leptospira, dan chikungunya. Hasil penelitian menunjukkan adanya ketidaksesuaian diagnosis, terutama pada penyakit seperti riketsiosis, chikungunya, dan leptospirosis. Rata-rata hari rawat inap untuk masing-masing penyakit berkisar 5-8 hari. Pada dengue, ketidaksesuaian diagnosis dan lama rawat inap tidak berhubungan, sedangkan pada tifoid dan leptospirosis pasien dengan diagnosis tidak sesuai, dapat dirawat lebih singkat.

ABSTRACT

Infectious diseases are still become the main health problem in Indonesia. Capabilities of hospitals in determining diagnosis of infectious diseases are still limited, and in many cases create prolong days of hospital inpatient care. This limitation may cause several infectious diseases undetected or often misdiagnosed with other diseases. The result of this study demonstrated the correlation between discrepancies in diagnosis and hospitalization days in 5 infectious diseases dengue fever, chikungunya, typhoid, rickettsiosis, and leptospirosis. Using a secondary data, this quantitative method specifically examines hospital patients with fever in seven class A hospital. The study results found that there is inconsistency of diagnosis, especially for disease of riketsiosis, chikungunya, dan leptospirosis. The average length of stay in hospital was ranging from 5 to 8 days. In dengue, diagnosis discrepancies were found to be unrelated to the hospitalization days, while in typhoid and leptospirosis, patients who had been misdiagnosed had shorter hospitalization days.