

Analisis nilai fire load sebagai acuan proteksi kebakaran di Rumah Sakit Umum Daerah Pasar Rebo tahun 2018 = The analysis of fire load value as fire protection at RSUD Pasar Rebo in 2018

Zilka Ilmi, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20476761&lokasi=lokal>

Abstrak

**ABSTRAK
**

Nama : Zilka Ilmi
Program Studi : Magister Keselamatan dan Kesehatan Kerja
Judul : Analisis Nilai Fire Load sebagai Acuan Proteksi Kebakaran di Rumah Sakit Umum Daerah Pasar Rebo Tahun 2018
Fire load merupakan jumlah energi yang dilepaskan seluruh material pada saat terjadi kebakaran dalam suatu ruangan. Keparahan akibat kebakaran akan meningkat jika fireload bangunan lebih besar. Bangunan rumah sakit merupakan salah satu gedung yang memiliki risiko tinggi terjadi kebakaran. Beberapa kegiatan perawatan medis di ICU, ruang operasi dan ruangan terapi pasien tertentu juga melibatkan peralatan dan hal-hal yang kompleks yang dapat menyebabkan timbulnya kebakaran. Untuk menjamin tingkat keandalan serta keselamatan bangunan maka perlu dilakukan pengelolaan bahaya kebakaran dengan baik dan terencana. Penelitian ini bertujuan untuk menganalisis nilai fire load sebagai acuan proteksi kebakaran di RSUD Pasar Rebo. Penelitian ini menggunakan metode penelitian deskriptif dan komparatif dengan membandingkan kondisi pada objek penelitian dengan hasil survei terdahulu. Hasil penelitian menunjukkan bahwa nilai rata-rata fire load density ruang ICU dan kamar operasi adalah 210,968 MJ/m². Hasil pengukuran ini masih dalam rentang fractile 80 pada survei yang dilakukan oleh Eurocode 1 pada tipe kamar di rumah sakit. Nilai ini berada dalam nilai yang aman. Nilai fire load tidak bisa dijadikan acuan tingginya tingkat firerisk. Untuk mengetahui fire risk perlu memperhitungkan ventilasi dan fire ignition nya. Dari hasil penelitian, disarankan sebaiknya pihak rumah sakit melakukan perbaikan terhadap sistem proteksi kebakaran dan sarana evakuasi agar dapat diandalkan jika terjadi kebakaran sehingga mampu mengurangi risiko bahaya kebakaran. Kata Kunci : Fire load, sistem proteksi, rumah sakit

<hr />

**ABSTRACT
**

Name Zilka Ilmi
Department Occupational Safety and Health
Judul The Analysis of Fire Load Value as Fire Protection at RSUD Pasar Rebo in 2018
Fire load is the total of energy which is released throughout from the material during fire in a room. The fire severity will increase while the fire load of building is higher. The hospital is one of buildings that having high fire risk. Some activities in the ICU and operating room has equipment and complex things that can cause a fire. To guarantee the level of reliability and safety of buildings, its necessary to manage of firehazards well and planned. The aim of this study was to analyze fire load value as protection fire at RSUD Pasar Rebo. This study was descriptive study and comparative by comparing the conditions in the object of research with the results of previous surveys. The result of this study showed that the average of fire load density value in ICU and operating room was 210,968 MJ m². This value is still in fractile range of 80 in a survey by Eurocode 1. It means that value is in safe value. Fire load value can not be used as fire risk level. Take into account the ventilation and fire ignition for calculating the fire risk. Therefore, the management should improve the fire protection system and evacuation facilities to be reliable during fire so as to reduce the risk of firehazards. Keywords Fire load,

protection system, hospital