

Uji validitas dan reliabilitas kuesioner brief international cognitive assessment for multiple sclerosis versi bahasa Indonesia (BICAMS-INA) dalam menilai fungsi kognitif penyandang multipel sklerosis = Validity and reliability test of brief international cognitive assessment for multiple sclerosis - Indonesian version (BICAMS-INA) in assessing cognitive function of multiple sclerosis patients

Yuhyi Fajrina, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20477045&lokasi=lokal>

---

Abstrak

Latar Belakang. Gangguan kognitif dapat terjadi pada multipel sklerosis MS dan berdampak menurunnya kualitas hidup. Brief International Cognitive Assessment for MS BICAMS merupakan instrumen untuk mendeteksi gangguan kognitif penyandang MS. Penelitian ini bertujuan untuk memvalidasi instrumen BICAMS versi bahasa Indonesia BICAMS-INA .Metode. Penelitian potong lintang ini dilakukan di Rumah Sakit Umum Pusat Nasional Cipto Mangunkusumo Jakarta periode Mei-Juni 2018 pada kelompok MS dan kontrol. Pemeriksaan BICAMS yang terdiri dari; Symbol Digit Modalities Test SDMT , California Verbal Learning Test-II CVLT-II , dan Brief Visuospatial Memory Test Revised BVMTR dilakukan pada 23 kelompok MS dan 66 kelompok kontrol. Kemudian dilakukan retest pada 13 kelompok MS dan 23 kelompok kontrol.Hasil. Rerata SD hasil pemeriksaan BICAMS pada kelompok MS dan kontrol sebagai berikut: SDMT kelompok MS 41,4 15,1; kelompok kontrol 64,9 16,2 p

<hr />

Background. Cognitive impairment can occur in multiple sclerosis MS and impact on decreased quality of life. Brief International Cognitive Assessment for MS BICAMS is an instrument to detect cognitive impairment in MS. This study aimed to validate the Indonesian version of BICAMS BICAMS INA .Methods. This cross sectional study was performed in Cipto Mangunkusumo National General Hospital, Jakarta, from May to June 2018 on MS and control group. Consisted of Symbol Digit Modalities Test SDMT , California Verbal Learning Test II CVLT II , and Brief Visuospatial Memory Test Revised BVMTR , this instrument was administered to 23 patients with MS and 66 healthy controls. Retest was performed on 13 patients with MS and 23 healthy controls.Result. The mean SD score of BICAMS in MS and control groups were as follows SDMT in MS vs control group 41.4 15.1 vs 64.9 16.2 p