

Akurasi triple diagnostic dengan usg guided fnab sebagai modalitas diagnostik pada nodul tiroid di RSCM = Accuracy of triple diagnostic with ultrasound guided FNAB as diagnostic modalities in thyroid nodule at cipto mangunkusumo hospital

Mulyadi, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20477683&lokasi=lokal>

Abstrak

**ABSTRAK
**

Latar belakang Akurasi triple diagnostic USG guided FNAB untuk menentukan keganasan pada kasus nodul tirodi masih belum diketahui. Hal tersebut penting untuk diketahui sehingga tindakan definitif dan jenis operasi dapat ditentukan tanpa harus dilakukan pemeriksaan potong beku. Metode Penelitian dilakukan pada 131 pasien dengan pembesaran kelenjar tiroid pada periode Januari 2014 – Desember 2014 dengan menggunakan desain potong lintang. Penelitian ini menghitung nilai sensitivitas, spesifisitas, nilai prediksi positif, nilai prediksi negatif, akurasi triple diagnostic dengan USG guided FNAB dibandingkan dengan histopatologi. Hasil Hasil penelitian ini menunjukkan triple diagnostic yang concordant ganas memiliki sensitivitas 81,17 , spesifisitas 96,55 , nilai prediksi positif 98,57 , nilai prediksi negatif 36,36 , dan akurasi 85,08 . Kesimpulan Tingginya nilai prediksi positif yang didapatkan dalam penelitian ini, sehingga triple diagnostic dapat digunakan untuk terapi definitif tanpa dilakukan pemeriksaan potong beku intra operatif.

<hr />

**ABSTRACT
**

Background The triple diagnostic accuracy with Ultrasound guided FNAB to determine the risk of malignancy in cases of thyroid nodules remains unknown. It is important to know so that definitive measures and types of operations can be determined without the need for a frozen section. Methods The study was conducted using cross sectional design on 131 patients with thyroid nodule in the period of January 2014 December 2014. This study calculated the values of sensitivity, specificity, positive predictive value, negative predictive value, triple diagnostic accuracy with ultrasound guided FNAB compared with histopathological result. Results This study show triple diagnostic with malignant concordant has sensitivity of 81.17 , specificity of 96.55 , positive predictive value of 98.57 , negative predictive value of 36.36 , and 85.08 accuracy. Conclusions The high positive predictive values obtained in this study, show that triple diagnostic can be used for definitive therapy without intraoperative frozen section