

Asuhan keperawatan pada lanjut usia dengan kerusakan memori melalui terapi musik di Panti Sosial Tresna Werdha di Jjakarta = Nursing care plan for elderly with memory impairment by music therapy inPanti Sosial Tresna Werdha Jakarta

Zakiah Nainul Amani, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20478065&lokasi=lokal>

Abstrak

Demensia adalah keadaan yang dapat menyebabkan kerusakan memori. Karya ilmiah akhir ners KIAN ini bertujuan untuk menjabarkan analisis Praktik Keperawatan Kesehatan Masyarakat Perkotaan PKKMP yang telah dilakukan untuk menangani masalah kerusakan memori. Metode yang digunakan yaitu asuhan keperawatan pada lansia yang mengalami kerusakan memori dengan Intervensi unggulan yang dilakukan yaitu stimulasi kognitif: terapi musik. Intervensi ini dilakukan pada lansia yang mengalami demensia ringan hingga sedang dan berlangsung selama 36 sesi pertemuan 45 menit/sesi dalam 5 minggu. Pengukuran evaluasi dilakukan dengan menggunakan MMSE Mini Mental Status Examination dan CDR Clinical Dementia Rating . Hasilnya, terdapat peningkatan skor MMSE dari 20 kerusakan fungsi mental dan kognitif sedang menjadi 26 fungsi kognitif baik serta adanya penurunan skor CDR dari 2 gangguan kognitif sedang menjadi 1 gangguan kognitif ringan . Sehingga dapat disimpulkan bahwa stimulasi kognitif: terapi musik dapat mengatasi masalah kerusakan memori.

<hr />

Dementia is a condition that causes memory impairment. The Final Scientific Paper of Ners KIAN aims to describe the analysis of Urban Community Health Care Practice PKKMP which has been done to resolve memory impairment problems. Methodes used are nursing care in elderly who have memory impairment with superior intervention which is cognitive stimulation: music therapy. This intervention was performed in 3 elderly people with mild to moderate dementia and lasted for 36 sessions 45 minutes / session in 5 weeks. Measurement of evaluation is done by using MMSE Mini Mental Status Examination and CDR Clinical Dementia Rating . As a result, there was an increase in MMSE scores from 20 moderate cognitive impairment became 26 good cognitive functionl and decreased CDR scoresfrom 2 moderate cognitive impairment to 1 mild cognitive impairment for those three elderlies. So it can be concluded that cognitive stimulation: music therapy can overcome memory impairment problems.