

## Analisis asuhan keperawatan masyarakat perkotaan pada pasien penyakit ginjal terminal dan intervensi stimulasi saliva dengan permen karet untuk mengurangi xerostomia = Nursing care analysis of urban communities in end stage renal disease patient and saliva stimulation intervention with chewing gum to reduce xerostomia

Sardy Syahri, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20478128&lokasi=lokal>

---

### Abstrak

Penyakit Ginjal Terminal PGT merupakan masalah yang banyak dihadapi masyarakat perkotaan. PGT memerlukan tindakan berupa restriksi cairan yang sulit dilaksanakan oleh penderita PGT karena karena banyaknya faktor yang menyulitkan. Selain itu, pada PGT terdapat masalah lain yang semakin menyulitkan restriksi cairan, yaitu masalah uremia dan hipokalsemia yang dapat menyebabkan gangguan sekresi saliva. Studi ini bertujuan untuk menganalisis asuhan keperawatan kesehatan masalah perkotaan pada PGT dan intervensi stimulasi saliva dengan mengunyah permen karet untuk mengurangi xerostomia. Evaluasi intervensi menggunakan Thisrt Distress Scale dan Visual Analog Scale.

Hasil penelitian menunjukkan bahwa mengunyah permen karet dapat mengurangi xerostomia. Dengan berkurangnya xerostomia, klien lebih mudah untuk menjalani restriksi cairan. Kesimpulan dari studi ini adalah mengunyah permen karet dapat membantu klien dalam restriksi cairan. Rekomendasi dari studi ini adalah permen karet dapat digunakan pada seluruh klien dengan kemampuan mengunyah yang baik. ....End Stage Renal Disease ESRD is a problem which faced by urban communities. ESRD requires action in the form of fluid restriction that is difficult to implement by ESRD patients because of the many factors that make it difficult. In addition, there are other problems in ESRD that increasingly complicate the restriction of fluids such as uremia and hypocalcaemia that can cause disruption of salivary secretion. This study attempted to analyze nursing care in urban perspective with ESRD problem and salivary stimulation interventions by chewing gum to relieve xerostomia. To evaluate the intervention, this study use Thisrt Distress Scale and Visual Analog Scale.

The results showed that chewing gum can reduce xerostomia. Therefore, the reduced of xerostomia problem may help clients are more likely to undergo fluid restriction. The conclusion of this study is chewing gum can help clients in fluid restriction. The recommendation of this study is chewing gum can be used on all clients with good chewing ability.