

# Efficiency comparison of TiO<sub>2</sub>-coated pine wood, bamboo and coconut shell charcoals in real textile wastewater decolorization / Khanitta Hathaisamit, Phitchayapron Adsunjhon, Nattapong Janthong, Yanisa Tantipalakul

Khanitta Hathaisamit, author

Deskripsi Lengkap: <https://lib.ui.ac.id/detail?id=20487627&lokasi=lokal>

---

## Abstrak

### <b>ABSTRAK</b><br>

The photocatalytic decolorization of real textile wastewater using pine wood (PW), bamboo (BB) and coconut shell (CS) charcoals TiO<sub>2</sub>-coated under UV irradiation were investigated. Biomass charcoals TiO<sub>2</sub>-coated were synthesized by the sol-gel and dip-coating technique. The structure features of biomass charcoals TiO<sub>2</sub>-coated were investigated by X-ray diffractometer (XRD) and scanning electron microscopy (SEM). our finding indicated that XRD data characteristic anatase phase reflections and SEM showed that TiO<sub>2</sub> thin films distributed in the pores and cover on biomass charcoals. BB-TiO<sub>2</sub> and CS- TiO<sub>2</sub> showed high covering films of TiO<sub>2</sub> on surface and filled full in the small pores but PW- TiO<sub>2</sub> still had many large pores. decolorization of real textile wastewater using photocatalytic process was measured by Space Unit Method; S.U. with UV-VIS spectrophotometer. the photocatalytic tests indicated that decolorization of biomass-TiO<sub>2</sub> were CS-TiO<sub>2</sub>, BB-TiO<sub>2</sub> and PW-TiO<sub>2</sub>, respectively. details of the synthesis of biomass charcoals TiO<sub>2</sub>-coated and results of the characterization and decolorization studies are presented in this paper.